

# Petrology, mineralogy, and geochemistry of the olivine diogenite NWA 4255: new insights into the magmatic evolution of asteroid 4 Vesta

Ratiba Kared, Bertrand N. Moine, Abdelmadjid Seddiki, Jean Yves Cottin, Richard Greenwood, Ian A Franchi

## ► To cite this version:

Ratiba Kared, Bertrand N. Moine, Abdelmadjid Seddiki, Jean Yves Cottin, Richard Greenwood, et al.. Petrology, mineralogy, and geochemistry of the olivine diogenite NWA 4255: new insights into the magmatic evolution of asteroid 4 Vesta. Arabian Journal of Geosciences, 2019, 12 (14), 10.1007/s12517-019-4604-9. hal-02402492

# HAL Id: hal-02402492 https://uca.hal.science/hal-02402492

Submitted on 10 Dec 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

| 1  | Petrology, mineralogy, and geochemistry of the olivine diogenite NWA 4255: new        |
|----|---|
| 2  | insights into the magmatic evolution of asteroid 4 Vesta                              |
| 3  |   |
| 4  | Ratiba Kared1 & Bertrand N. Moine2 & Abdelmadjid Seddiki1 & Jean Yves Cottin2 &       |
| 5  | Richard C. Greenwood3 & Ian A. Franchi3   |
| 6  |   |
| 7  | 1 Laboratoire Géoressources et Risques Naturels (GEOREN); Oran2 University, BP: 1510, |
| 8  | 31000 Oran, Algeria   |
| 9  | 2 Magmas & Volcanoes Laboratory UMR6524 CNRS, Lyon University, UJM, Saint-Etienne,    |
| 10 | France  |
| 11 | 3 Planetary and Space Sciences, Department of Physical Sciences, The Open University, |
| 12 | Walton Hall, Milton Keynes MK7 6AA, UK  |
| 13 |   |
| 14 | Keywords NWA 4255 . Olivine diogenite . Harzburgite . Orthopyroxenite . Peritectic    |
| 15 | reactions . 4Vesta  |
| 16 |   |
| 17 |   |
| 18 | Abstract  |
| 10 |   |

Northwest Africa (NWA) 4255 is a meteorite found in the region of Tindouf (southwestern 19 20 Algeria), classified as brecciated olivine diogenite. Based on textural observations and 21 orthopyroxene compositions, two different lithologies were determined: harzburgitic and orthopyroxenitic. The orthopyroxenitic lithology contains orthopyroxene (Mg no. 73.99-22 23 75.68) and spinel (Cr no. 83.09-85.11, Mg no. 15.57-22.45). On the other hand, the 24 harzburgitic lithology contains orthopyroxene (Mg no. 74.54-77.14) and olivine (Mg no. 25 70.94–72.57). The iron metal and the sulfides (Troilites) of this sample are present in both 26 lithologies and are low in Ni (Ni < 0.1wt%). The Fe/Mn ratio of orthopyroxenes ranges from 27 22.28 to 32.64 and show a large overlap between both lithologies. Lowest ratios are unusual; 28 they are below the defined field for diogenites and olivine diogenites.  $\Delta 170$  values are -29  $0.234 \pm 0.003$  (1 $\sigma$ ) and confirm that the NWA 4255 originated from 4Vesta. The results of 30 this study show that there is a genetic linkage between the two lithologies of NWA 4255 and 31 correspond to in situ crystallization processes. This olivine diogenite reflects transition 32 between two major magmatic processes in 4Vesta. The magma ocean of 4Vesta crystallized at 33 equilibrium, allowing the formation of a dunitic and harzburgitic mantle. This late lithology is 34 linked to the peritectic reaction between the olivines formed and the evolved liquid. Our

35 sample then reflects this crucial step of separating this mantle from the residual liquid. This 36 melt evolving on the peritectic allowed the formation of the observed harzburgitic assemblage 37 and then evolves out from the peritectic reaction to proceed to a fractional crystallization 38 process involving the formation of orthopyroxenite.

39

#### 40 Introduction

41 The HED (Howardite, Eucrite, Diogenite) group of meteorites likely originated from the 42 Asteroid 4Vesta (Drake 2001). Diogenites are predominantly orthopyroxene-rich cumulates 43 (Krawczynski et al. 2008; Mandler and Elkins-Tanton 2013). However, recently, olivine 44 diogenites have been recognized as an important subset of diogenites and are considered to 45 represent the most primitive material within this subgroup (Krawczynski et al. 2008). The 46 designation olivine diogenite has been used for diogenites containing a considerable range of 47 modal olivine contents, from trace to 50 wt.% olivine (Bowman et al. 1997; Irving et al. 2009; Mittlefehldt 1994; Sack and Ghiorso 1991; Shearer et al. 2010). However, when the olivine 48 49 abundance is between 1 and 5%, the most appropriate term is olivine-bearing diogenites (Shearer et al. 2010). Diogenites, olivine-bearing diogenite, and olivine diogenites are 50 51 petrogenetically associated with basaltic magmatism linked to the earliest stages of 52 asteroidalmelting on the parent body of the Howardite-Eucrite-Diogenite (HED) meteorites 53 (Shearer et al. 2010). As pointed out by Mittlefehldt (2000), the origin of the parental magmas 54 of diogenites remains poorly understood. In this study, we look in detail at the origin and 55 interrelationship between two distinct lithologies present in the olivine diogenite NWA 4255. 56 We examine the major processes responsible for their genesis using petrology, mineral 57 chemistry, and whole-rock geochemistry. In particular, we examine whether the two 58 lithologies are co-genetic. Using the evidence from modeling studies, we investigate the 59 relationship between diogenites and olivine diogenites and assess how NWA 4255 fits into 60 the magmatic history of 4Vesta. Finally, we use the information gained from this detailed 61 study of NWA 4255 to examine the differentiation and crystallization history of vestian 62 magma ocean.

63

### 64 **Petrography and texture**

NWA4255 is an olivine diogenite discovered in 2002 in the Algerian Sahara. It is in the form of many fragments (Fig. 1a) totalling a mass of 6 kg. Some fragments show a thin fusion crust. Iron oxide is observed on some fragments, which reflects a supergene alteration of iron metal. The study concerns seven fragments of this meteorite. NWA4255 is a brecciated 69 olivine diogenite. Observations under optical microscope (reflected light) and electron 70 microscope allowed to highlight the presence of two lithologies, one contains olivine and is designated here as being the "harzburgitic lithology," and the other is olivine free and is 71 72 designated here as being the "orthopyroxenitic lithology." Iron metal and sulfides are present 73 in small amounts as interstitial grain or tiny inclusions in orthopyroxene. Clinopyroxene is 74 present as traces associated with iron metal within large orthopyroxene grains. The "orthopyroxenitic lithology" consists of orthopyroxene, spinel, sulfide, and scarce 75 76 clinopyroxene (see below) (Figs. 1 and 2). This olivine diogenite consists of orthopyroxene 77 (91.62%), olivine (6.79%), chromium spinel (1.08%), and trace of sulfide and iron metal. One 78 of the most interesting features of the NWA 4255 is the presence of many small vugs in 79 orthopyroxene and occasionally in the spinel in the orthopyroxenitic lithology. These vugs are 80 associated with strings of sulfide and spinel inclusions (Fig. 1b, c).

81

## 82 Orthopyroxenitic lithology

### 83 Orthopyroxene

84 Orthopyroxene occurs as subhedral grains exhibiting a wide range of sizes (~8 to 0.01 mm in 85 length) (Fig. 1d). In most cases, these grains are highly brecciated and are presumably 86 fragments of much larger crystals. The original magmatic boundaries between orthopyroxene 87 and spinel are sometimes preserved. In addition, clinopyroxene is also present and occurs as 88 very small grains (~ 50  $\mu$ m). It is associated with iron metal in orthopyroxene.

89

#### 90 Chromium spinel

91 Spinel has several habitus and microstructures. Most spinels occur as subhedral to anhedral 92 grains with a size of 100 to 600  $\mu$ m. These spinel grains are highly brecciated when they are 93 within or in contact with orthopyroxene (Fig. 1e). However, some spinels are euhedral (300 to 94 550 µmin diameter) showing igneous contacts with orthopyroxene (Fig. 1f). In addition, some 95 small spinel grains are associated with sulfides (Fig. 2a). These grains often display curved 96 contacts with orthopyroxene grains. Furthermore, there are spinels that form tiny inclusions 97  $(< 10 \mu m)$  and are associated with numerous vugs and sometimes with sulfides along 98 cleavage planes within orthopyroxene grains.

99

#### 100 Sulfides

101 Sulfides are more abundant in the orthopyroxenitic lithology. They are less common in the 102 harzburgitic lithology. The shape and the grain size of sulfides are largely variable; some are subhedral (~ 360  $\mu$ m in diameter) (Fig. 2b). Others are euhedral (20 to 50  $\mu$ m), and most were observed as tiny grain inclusions within orthopyroxene and spinel.

105

#### 106 Harzburgitic lithology

## 107 Orthopyroxene

108 Orthopyroxenes are essentially subhedral, varying in size to 2 mm to 1.5 cm in the longest 109 dimension (Fig. 3a). Most orthopyroxene grains are fractured and contain numerous olivine, 110 chromium spinel, ironmetal, and sulfide inclusions. In brecciated areas, pyroxenes are small 111 and display angular shapes, and range in size from 10 to 250  $\mu$ m. There are some 112 orthopyroxenes found exceptionally as inclusions in olivine. These orthopyroxenes can be up 113 to 200  $\mu$ m in longest dimension; they are anhedral with irregular boundaries (Fig. 3b and c).

114

## 115 Olivine

116 Olivine occurs only in harzburgitic lithology. It displays a heterogeneous distribution 117 occurring as millimeter-sized fragmented crystals, locally displaying original contacts with 118 orthopyroxene grains. Olivine grains are anhedral, ranging in size from 250  $\mu$ m to 1.5 mm 119 (Fig. 3a). Some small rounded grains of olivine (25–70  $\mu$ m) are occasionally found as 120 inclusions within large orthopyroxenes (Fig. 3e and f).

121

#### 122 Iron metal

123 Iron metal is not abundant in NWA 4255, occurring as irregularly shaped grains associated 124 with orthopyroxene and sometimes with olivine. The iron grains can be as much as 500  $\mu$ min 125 diameter; these larger grains (Fig. 3f) have a halo of infiltrations in cracks of surrounding 126 orthopyroxene and olivine. Metallic iron is also in the form of very small grains (less than 10 127  $\mu$ m), associated with sulfides and spinels in the form of trails of inclusions in orthopyroxene.

128

## 129 Analytical techniques

Analyses of major and trace elements in various mineral phases were carried out using the electron microprobe and by LA-ICP-MS (laser-ablation inductively coupled plasma mass spectrometer). Image of the rock fragment presented in this work is a mosaic image corresponding to an accumulation of 28 images obtained using a scanning electron microscope (Jeol JSM-5910 LV) equipped with a PGT Spirit microanalysis system. Wholerock major and trace element analysis and oxygen isotope analyses were undertaken on two fresh fragments of NWA 4255 weighing 1.56 g and 1.57 g (Aliquot 1 and Aliquot 2). These were crushed and pulverized in an agate mortar before determining the concentrations of themajor and trace elements of the whole rock.

139

#### 140 Mineral phases major and trace element analyses

141 Major and minor element chemistry of mineral phases was determined using an electron 142 microprobe (CAMECA SX 100, 15 kV, 20 nA), at Magmas and Volcanoes laboratory 143 (LMV)-Clermont-Ferrand-France. Standards were natural and synthetic minerals; ZAF 144 corrections were applied. The limit of detection of the electron microprobe analyses is LOD = 145 50–100 ppm depending on the element concerned. Trace element compositions were acquired 146 by a LA-ICP-MS (laser-ablation inductively coupled plasma mass spectrometer) at the LMV, 147 France, using a RESONETICS RESOLUTION M-50 laser powered by an ultra-short pulse 148 ATL ATLEXEXCIMER laser system. Operating conditions were of 193 nm wavelength, 73 149 µm spot diameter, associated to a repetition rate of 6 Hz. The sample was ablated in a He 150 atmosphere using a 193-nm wavelength laser computer-controlled and equipped with anATL 151 laser with ultra-short pulse duration (< 4 ns). Acquisition time was 90 s for background and 152 60 s for signal. The international standards NIST612 and BCR2 (Columbia River Basalt) 153 were used as external calibration standards. Four analyses were performed on these standards 154 before and after each data collection set. Si and Cr determined by electron microprobe are 155 used as internal standards to normalized concentration. The detection limits of all the 156 elements analyzed are less than 1 ppb. Reproducibility and accuracy of the analyses was 157 estimated through repeated analyses of BCR-2g standard at the beginning and at the end of 158 every run. Data reduction was carried out using the software package GLITTER (Van 159 Achterberg et al. 2001). For each analysis, the time resolved signal for each element was 160 monitored to discard perturbations related to inclusions, fractures or mixing.

161

#### 162 Whole-rock major and trace element analyses

163 Two different techniques were used for major elements analysis. As for the first, a powdered 164 sample (108 mg) of the Aliquot 1 was taken, from which a small fraction (about 5 mg) was 165 deposited on a platinum wire and heated to 1580 °C in air. The molten glass was quenched in 166 water. The glass beads obtained were then analyzed by electron microprobe. These glass 167 beads were prepared at the CRPG Nancy- France, and then analyzed by electron microprobe 168 at the LMV-France. In this work, we present the average of three analyses that were made on 169 each three beads made. For the second technique, 100 mg of both aliquots (1 and 2) were 170 taken to perform the major element analyses using the alkaline fusion method with LiBO2

171 (1:3 dilution). One hundred milligrams of each extracted powder was mixed with 300 mg of 172 lithium metaborate (LiBO2). The mixture was then placed in a graphite crucible (25 mm in 173 diameter) and heated for 5 min in a magnetic induction furnace to 2KW (1100 °C). The glass 174 obtained was mixed with 50 ml of HNO3 1 M solution in a polystyrene bottle. The glass bead 175 was dissolved by the acid, then the solution obtained is filtered through a filter paper and 176 recovering all with deionized water in a volumetric flask of 200 ml. The final solutions were 177 analyzed by ICPAES (inductively coupled plasma atomic emission spectroscopy) at the 178 LMV-France, and analytical conditions were as follows: incident power = 1050 W, reflected 179 power < 5 W, Drainage = 0.31/min. BHVO-2 external standard was used as reference to control accuracy and deviation. The results obtained by these two different methods are 180 181 consistent within analytical uncertainty (Table 7). Whole-rock trace element compositions 182 were analyzed by inductively coupled plasma mass-spectrometry (ICP-MS) at LMV on 183 Agilent 7500 cx. One powder sample of both aliquots (Aliquot 1: 98.4 mg and aliquot 2: 100.28 mg) was taken for trace element analysis. For dissolution, each powder sample was 184 185 dissolved in a mixture solution: 1 ml 20N of HF and 1 ml of 20N HNO3 in a 12-ml 186 Savillex<sup>TM</sup>. The closed Savillex<sup>TM</sup> were placed on a hotplate at 100 °C for 48 h. The samples 187 were evaporated at 70 °C. After evaporation, a second attack is carried out with a mixture of 1 188 ml of 30 N HCl, 4 ml of 20 N HF, and 1 ml of HClO4 and heated at 100 °C for 2 days. This 189 step is followed by evaporation at 150 °C. A third attack with a mixture of 1 ml 30 N HCl, 4 190 ml 20 N and 1 ml HClO4 was carried out. The solution was then allowed to evaporate at 150 191 °C. The residue was dissolved in 2 ml 6 N HCl, then evaporated until all the HClO4 had been 192 removed. The residue obtained is dissolved with recovery 10 ml 0.4 N HNO3 and diluted 193 before analyzing. Two blanks followed the same protocol as the sample to confirm that the 194 NWA 4255 had not been contaminated during handling. Three mafic and ultramafic 195 international standards (BIR1, BCR2 et JP1) were used as calibration external standards. Fifty 196 milligrams of powder of aliquot 1 was sent to Montpellier University to check the reliability 197 of the data. The results obtained in the two laboratories by the solution- ICP-MS are 198 consistent within analytical uncertainty (Table 7).

199

## 200 Oxygen isotopes analyses

Oxygen isotopes analysis was undertaken on both NWA 4255 aliquots (aliquot 1 and aliquot 202 2, Table S1). Both aliquots were homogenized, and 2 mg of these powders was then loaded 203 for oxygen isotope analysis at the Open University, using an infrared laser-assisted 204 fluorination system (Miller et al. 1999; Greenwood et al. 2017). Each of the two lithologies 205 were analyzed in duplicate. The powders were heated in the presence of BrF5. After 206 fluorination, the released oxygen gas was purified by passing it through two cryogenic 207 nitrogen traps and over a bed of heated KBr. Oxygen gas was analyzed using a MAT 253 dual 208 inlet mass spectrometer. System precision, as defined by replicate analyses (n = 39) of our 209 internal obsidian standard, is  $\pm 0.05\%$  for  $\delta 17O$ ,  $\pm 0.09\%$  for  $\delta 18O$ ,  $\pm 0.02\%$  for  $\Delta 17O$  (2 $\sigma$ ). 210 Oxygen isotope analyses are reported in standard  $\delta$  notation, where  $\delta$ 180 has been calculated 211 as:  $\delta 180 = [(180/160) \text{ sample}/(180/160) \text{ ref} - 1] \text{Å} \sim 1000 (\%)$  and similarly for  $\delta 170$  using 212 the 17O/16O ratio, the reference being vSMOW: Vienna Standard Mean Ocean Water.  $\Delta$ 17O, 213 which represents the deviation from the terrestrial fractionation line, has been calculated using 214 the linearized format of Miller (2002):  $\Delta 170$ . 1000ln 1 fl  $\delta 170=1000 -\lambda$  1000ln 1 fl 215  $\delta$ 18O=1000 where  $\lambda = 0.5247$ , determined using 47 terrestrial whole rock and mineral 216 separate samples (Miller 2002; Miller et al. 1999).

217

## 218 Mineral chemistry: major and trace elements

Representative major element concentrations for orthopyroxene, chromite, and olivine are summarized in Tables 1, 2, and 3, respectively. The iron metal data compositions are given in Table 4, and the sulphide data are summarized in Table 5. The trace element concentrations for these silicates are listed in Table 6. This olivine diogenite has two distinct populations of both orthopyroxene and olivine (Figs. 4 and 5). This bimodal distribution reflects the fact that two distinct lithologies are present in NWA 4255.

225

## 226 Orthopyroxenitic lithology

## 227 Orthopyroxene

228 Based on the terms ferroan and magnesian used by Beck and McSween (2010), 229 orthopyroxene in the orthopyroxenitic lithology show mainly a ferroan trend with a 230 composition ranging from (Wo1 En73 Fs24) to (Wo2 En75 Fs26) (Table 1) and with Fe no. molar values of 24.32-26.01. These orthopyroxenes show concentrations with a slight 231 232 variability for Al2O3 (0.04-0.2 wt%), Cr2O3 (0.2-0.4 wt.%), and CaO (0.68-0.89 wt.%). 233 TiO2 concentrations are very low and often below the detection limit of the electron 234 microprobe and never exceed 0.07 wt.%. The Fe/Mn ratio of these orthopyroxenes varies 235 from 23.91 to 32.64. Trace element concentrations determined by LA-ICP-MS display very 236 limited variations in orthopyroxene from orthopyroxenitic lithology. Ti ranges from 255 to 237 276 ppm, Co from 5.01 to 5.56 ppm, Sc from 12.1 to 13.4 ppm and V from 109 to 117 ppm. 238 Remarkably, Ni concentrations are very low (0.254–0.386 ppm). The high field strength

239 element (HFSE) contents are 0.003–0.007 ppm for Hf and 0.025–0.040 ppm for Nb. Zr varies 240 in concentrations from 0.085 to 0.217 ppm. Ta is below detection limits (less than 0.5 ppb). 241 Moreover, incompatible trace element concentrations are very low with small variations in Y 242 (0.094 to 0.145 ppm) and Yb (0.027-0.034 ppm). As a consequence, in the ferroan 243 orthopyroxenes, no correlation is observed between these elements and Ti. The REE contents 244 are depleted relative to CI chondrite (Anders and Grevesse 1989). Moreover, the light REE 245 contents are generally depleted relative to heavy REE (La/Yb ranges from 0.03 to 0.08). On 246 the other hand, middle REEs are enriched (LaN/SmN = 0.07-0.28 and SmN/YbN = 0.30-247 0.48). They show troughs at Eu in CI-normalized diagrams with a low Eu/Eu\* ranging from 248 0.35 to 0.66 (Fig. 6). Although orthopyroxene from the two lithologies show REE patterns 249 that are sub parallel, the REE contents of orthopyroxene from the orthopyroxenitic lithology 250 are more enriched, especially for the MREE and HREE (SmN/YbN = 0.43-0.48) to those 251 obtained on harzburgitic lithology (Fig. 6).

252

## 253 Chromite

254 Spinels are magnesio-chromite (Usp1-2Sp15-16Chr81-84) with very high Cr no. values = 255 0.83–0.85 (Table 2). The Mg# values of chromite show significant variation, from 15.57 to 256 22.45. They contain minor amounts of TiO2 (0.3–0.6 wt.%). The ranges of Cr# in this study 257 are similar to those previously reported for NWA1877 by Irving et al. (2005) (Fig. 7). 258 Magnesio-chromites exhibit variable trace element concentrations: V (5369 to 5471 ppm), Ti 259 (3462 to 3639 ppm), Co (7.81 to 10.47 ppm), Sc (5.16 to 6.39 ppm), and Ni (0.13 to 0.50 260 ppm). The Zr, Hf, Nb, and Ta contents range respectively from 3.83 to 3.93 ppm, 0.019 to 261 0.054 ppm, 3.67 to 3.93 ppm, and 0.002 to 0.008 ppm. Y ranges from 0.016 to 0.019 ppm.

262

## 263 Harzburgitic lithology

#### 264 Orthopyroxene

265 Orthopyroxene is magnesian (Wo2En73-76Fs23-25) with Fe no. (in molar) ranging from 266 22.86 to 25.46. Minor element concentrations are slightly more depleted than those from 267 orthopyroxenitic lithology Al2O3 (0.08-0.4 wt.%), CaO (0.06-0.3 wt.%), Cr2O3 (0.6-0.9 268 wt.%), TiO<sub>2</sub> contents are up to 0.09 wt.%, but sometimes fall below detection limits. The 269 scarce orthopyroxene inclusions in olivine are magnesian (Mg no. 76.68 to 76.92) and show 270 the lowest Al2O3 (0.13 to 0.17 wt.%), CaO (0.67 to 0.73 wt.%) contents, the highest Cr2O3 271 (0.11 to 0.18 wt.%) contents among the orthopyroxene analyzed in NWA 4255. 272 Concentrations of Ti (207–260 ppm), V (91–124 ppm), Co (5.81–25.8 ppm), Sc (9.50–13.3 273 ppm), Ni (0.37–4.2 ppm), and Zr (0.029–0.103 ppm) exhibit slight variation. The contents Hf 274 and Nb range to 0.002 to 0.004 ppm and to 0.024 to 0.036 ppm, respectively. Ta is below 275 detection limits (less than 0.5 ppb). Incompatible trace element concentrations are 0.053-276 0.087 ppm Y and 0.017–0.022 ppm Yb. Sc, V, and Y have a positive correlation with Ti. Sc 277 and Ti show a clear correlation between overlapping harzburgitic and orthopyroxenitic 278 lithologies (Fig. 5), but both show a similar trend indicating that Ti has the same behaviour as 279 Sc when partitioning between mineral and melt. This implies that the Ti has probably a + 3280 valence as the Sc in this system. The REE patterns of orthopyroxene in the harzburgitic 281 lithology are also depleted in LREE compared to HREE. La/Yb ranges from 0.05 to 0.16 and 282 is lower than in orthopyroxenes of orthopyroxenitic lithology (Fig. 6).  $Eu/Eu^* = 0.43-0.55$ , 283 SmN/YbN ranges from 0.26 to 0.36 and LaN/SmN ratio from 0.18 to 0.64.

284

## 285 Olivine

Olivine also displays a bimodal distribution, Fe no. ranges from 27.43 to 29.06 for large 286 287 grains and to 28.39 to 32.01 for small grains (Fig. 4). These values agree well with the 288 compositions from olivine-bearing diogenites (Shearer et al. 2010). The Fe/Mn ratio displays 289 wide variation from 38.8 to 72.7. The abundance of minor elements is very low and below 290 detection limit of the electron microprobe. On the basis of LA-ICP-MS measurements of 291 olivine from harzburgitic lithology, Ti ranges from 38.04 to 48.70 ppm, and Ca contents 292 range from 315 to 1215 ppm. Ni and Co contents of olivine show a wide variation Ni (2.94 to 293 23.15 ppm) vs. Co (17.8 to 133 ppm). Ni exhibits a positive correlation with Co as shown in 294 (Fig. 8), with a mean Ni/Co ratio of 0.26. V contents in these olivines yield concentrations 295 ranging from 14 to 16.1 ppm and Sc in the range 3.73 to 4.1 ppm. In addition, Zr content is 296 0.019 ppm, and Nb concentrations range from 0.002 to 0.007 ppm. Hf and Ta contents are 297 below detection limits. Y contents vary from 0.003 to 0.016 ppm and Yb contents from 0.002 298 to 0.007 ppm.

299

## 300 In all lithologies from NWA 4255

## 301 Iron metal and sulphides

302 In both lithologies fromNWA 4255, iron metal displays a very low Ni content (Ni < 0.1 wt%) 303 and Co content ranges from 0.27 to 0.59 wt.% (Table 4). The mean Ni/Co ratio is similar to 304 the olivine ratio (0.26) and extends the observed correlation. Sulfides are troïlite (FeS) with a 305 very low content of transition metals, generally below the detection limit of the electron 306 microprobe (Table 5). Furthermore, Troïlite inclusions in chromite are Cr-rich (1.57–3.43 307 wt%). Cr2O3 and CaO increase with Al2O3 in the orthopyroxene of both lithologies and 308 show a broad correlation from harzburgitic orthopyroxene to orthopyroxenitic 309 orthopyroxenes, with an overlap between them. On the other hand, major and minor element 310 abundances show a narrow overlap between magnesian and ferroan orthopyroxene. The 311 Fe/Mn ratio in orthopyroxene of both lithologies shows a wide overlap (Fe/Mn 22.28–30.94 312 and 23.91–32.64 for magnesian orthopyroxenes and ferroan orthopyroxenes respectively). 313 Whatever, the lithology Sc, Y, and V correlates with Ti. These variation trends are more 314 evident in harzburgitic lithology and differ from those in the literature (Fowler et al. 1995; 315 Shearer et al .2010). Compared with diogenitic orthopyroxenes discussed in the literature, 316 orthopyroxenes in NWA 4255 display very low trace element contents and are among the 317 poorest in compatible and trace elements. This evidence supports the possibility that these 318 orthopyroxenes crystallized from a very primitive melt. Orthopyroxenes from harzburgitic 319 lithology and containing olivine inclusions display intermediate compositions between 320 orthopyroxene include in olivine and orthopyroxene from orthopyroxenitic lithology. This 321 reinforces the idea that there is a co-genetic link between the both lithologies.

322

## 323 Whole-rock geochemistry

324 The whole-rock data for NWA 4255 are listed in Table 7. Chondrite CI-normalized rare earth 325 elements patterns show that NWA 4255 has a flat shape for light and intermediate rare earth 326 elements. The La varies from 125 ppb CI to 258 ppb CI, and the YbN varies from 203 ppb CI 327 to 231 ppb CI. They are highly depleted in comparison with CIs, especially for LREEs and 328 MREEs ((La/Sm)N = 0.19-0.64). They show Eu troughs with a low average Eu/Eu\* (EuN/(SmN\*GdN)1/2) ratio of 0.47. The Ce/Ce\* (CeN/(LaN\*PrN)1/2) ratios range from 0.97 329 330 to 1.02. The NWA 4255 has Fe no. (Fe/(Fe + Mg)) of 25.88. The average Fe/Mn ratio is 331 28.93. Average concentrations for Sc and Ti are 12 and 263 ppm, respectively. It should be 332 noted that the data shows troughs at Th and Pb and peaks at Ba, U, and Ti (Fig. 9).

333

#### 334 Oxygen isotope analysis

335 Duplicate analyses of both of the two main lithologies in NWA 4255 gave essentially 336 identical results within error, with the harzburgite having the composition:  $\delta 170 = 1.675 \pm$ 337 0.007‰ (2 $\sigma$ ),  $\delta 180 = 3.642 \pm 0.016\%$  (2 $\sigma$ ),  $\Delta 170=-0.234 \pm 0.001\%$  (2 $\sigma$ ) and the 338 orthopyroxenite:  $\delta 170 = 1.682 \pm 0.016\%$  (2 $\sigma$ ),  $\delta 180 = 3.656 \pm 0.010\%$  (2 $\sigma$ ),  $\Delta 170=-0.234$ 339  $\pm 0.010\%$  (2 $\sigma$ ) (Table S1). Both lithologies have  $\Delta 170$  values that are close to the mean  $\Delta 170$ 

value of  $-0.241 \pm 0.018$  ‰ (2 $\sigma$ ) obtained by Greenwood et al. (2017) for 105 eucrite and

341 diogenite analyses, both falls and finds. This indicates that the harzburgite and342 orthopyroxenite lithologies in NWA 4255 are both normal members of the HED suite.

343

## 344 **Discussion**

#### 345 Phase equilibria

346 On the diagram of Fe# Opx versus Fe#. Olivine (Fig. 10), couples of compositions of olivines 347 and orthopyroxenes with textural equilibrium (original magmatic boundaries) are represented. 348 These data fall almost exactly on the equilibrium line, defined by Mittlefehldt (1994). 349 Olivines and orthopyroxenes from Harzburgitic lithology are in chemical equilibrium. We 350 distinguish a progressive chemical evolution in the NWA 4255, with an iron enrichment when 351 the olivine grains become smaller and smaller and scarcer and scarcer. This reflects both the 352 progressive differentiation of the magma and the advancement of the peritectic reaction 353 consuming the olivine. This suggests that during magmatic evolution and peritectic reaction, 354 the phase's compositions remained in equilibrium. This observation is in contradiction with 355 the results of Beck and McSween (2010) whose brecciated samples show erratic Fe# Opx 356 versus Fe#. Olivine compositions. They interpret this as evidence of an intimate mixture of no 357 cogenetic harzburgitic and diogenitic rocks by intense brecciation linked to meteorite impacts. 358 These evidences provide support for a genetic relationship between the various lithologies of 359 NWA 4255. Olivine, orthopyroxene, and iron metal of the harzburgitic and orthopyroxenitic 360 lithologies, as well as the whole-rock analysis, are aligned on the same evolution trend (Fig. 361 11). This shows that the whole rock is the mixture of these different phases. On the other 362 hand, the fact that the Ni/Co ratio is relatively constant supports the hypothesis of a co-363 genesis of the different phases (Figs. 8 and 12). This low Ni/Co ratio seems linked to the very 364 low abundance of Ni in the melt at the origin of NWA4255. Moreover, some orthopyroxenes 365 in orthopyroxenitic lithology are slightly shifted to even lower values of Ni and deviate from 366 this trend. The abundance of sulfide inclusions in these orthopyroxenes may represent a sink 367 for this siderophile and chalcophilic element at the expense of orthopyroxene. The Cr/V ratio 368 in the orthopyroxene varies between 0.24 and 0.38. This ratio, based on the work of Cartier et 369 al. (2014), implies that the fO2 was well below Iron- Wustite buffer (IW-7). This is lower 370 than the estimates for diogenites and eucrites (IW-2) of Boesenberg and Delaney (1997). 371 Under these conditions, the iron metal could have been present as a liquidus phase. This metal 372 appears after the formation of the metal core that has probably a chondritic Ni/ Fe ratio, and it 373 originates from the differentiation of magma and the rapid attainment of iron saturation at 374 very low oxygen fugacity. This implies that the metal in NWA 4255 is not related to a metal-375 rich precursor, and so was not chondritic metal brought in by impactors, but a metal 376 precipitate formed under liquidus conditions and in chemical equilibrium with the silicate 377 melt, as well as with both olivine and orthopyroxene.

378

## 379 Petrogenetic relationship between the two main lithologies present in NWA 4255

380 Firstly, the harzburgitic lithology consists of orthopyroxene, olivine, and iron metal. Olivine shows an increase in Fe no. as its crystal size decreases. This most likely reflects a peritectic 381 382 reaction between olivine and melt to produce orthopyroxene In addition, the orthopyroxenitic 383 lithology consists of orthopyroxene and spinel but is devoid of olivine. It is also more 384 enriched in Fe no. than the harzburgitic lithology and display higher incompatible trace 385 element contents. This implies that the olivines reacting with the liquid along the peritectic 386 produce orthopyroxene, which shields the olivine and isolates it from the residual melt. The 387 liquid then evolves out of the peritectic and produces orthopyroxene and spinel by fractional 388 crystallization.

389

#### **390** Evolution of minor and trace elements

391 The concentration of trace elements in NWA 4255 are slightly varied between the different 392 aliquots as is the case in other diogenites and olivine diogenites (Barrat et al. 2006; Fowler et 393 al. 1994, 1995; Mittlefehldt 1994, 2015; Shearer et al. 1997, 2010). These concentrations are 394 low compared with those known in the literature, implying that it is among the most primitive 395 or the less evolved diogenites. Despite this low content, we still observed positive correlations 396 between the Sc, V, and Y with Ti. This could be explained by a similar behaviour during 397 orthopyroxene crystallization linked to a change in the valence of titanium to 3+. This implies 398 that most of the Ti is present in the 3+ valence that it is coherent with the very low calculated 399 oxygen fugacity (IW-7). Note that these correlations are only observed in the harzburgitic 400 orthopyroxene, but not in the orthopyroxene of the orthopyroxenitic lithology. This could 401 imply that the harzburgitic lithology is more reduced than the orthopyroxenitic lithology 402 which is also supported by the presence of metal. In addition, the concentration of Yb and the 403 REEs increase from the harzburgitic to orthopyroxenitic lithology. This suggests that this is 404 linked to the decrease of melt mass, and that orthopyroxene in the orthopyroxenitic lithology 405 crystallized after the crystallization of harzburgitic orthopyroxene, as proposed by Beck et al. 406 (2013). Additionally, the REE patterns displayed by the orthopyroxenitic orthopyroxenes 407 have characteristic shapes (MREE enrichment) that are different from those of the 408 harzburgitic orthopyroxenes. The difference in shape of REE pattern indicates that the 409 orthopyroxenes of orthopyroxenitic lithology are the strict product of mineralmelt equilibrium 410 between chondritic melt and orthopyroxene, as confirmed by the Onuma diagram (Fig. S1). 411 The REE pattern of orthopyroxene in harzburgitic lithology indicates a more complex 412 mechanism involving a distribution of REE between olivine-orthopyroxene-melt and 413 reflecting the peritectic reaction. The REE patterns show a progressive enrichment of middle 414 and heavy rare earth elements from the harzburgitic orthopyroxene to the orthopyroxenitic 415 orthopyroxene. This confirms the progress of the peritectic reaction between the minerals 416 formed and the liquid involving more and more orthopyroxene and less and less olivine. 417 When the liquid leaves the peritectic, it passes into the field of orthopyroxene + liquid 418 resulting in the formation of orthopyroxene only (Fig. 12).

419

## 420 Petrogenesis of olivine diogenite and diogenite

421 Large grains of olivine are only observed in the harzburgitic lithology; they are more 422 magnesian than the small grains. This implies that the most magnesian olivine crystals are 423 consumed by the peritectic reaction and transformed into orthopyroxene (Fig. 12). Olivine 424 and spinel show preservation of magmatic boundaries with orthopyroxene indicating that the 425 primary relationship between the various lithologies in NWA 4255 was controlled by igneous 426 events. In contrast, the brecciation that is commonly present in the sample represents a 427 secondary process, which obviously occurred after the crystallization of the mineral phases. 428 We propose that the two lithologies in this olivine diogenite (NWA 4255) are genetically 429 linked; furthermore, they represent a continuation of a magmatic crystallization sequence that 430 evolved from the harzburgitic to the orthopyroxenitic lithology. Additionally, this provides 431 the most cogent evidence confirming that the association between the lithologies is not the 432 result of brecciation, but instead represents a magmatic evolution in the olivine diogenite. The 433 scheme presented here for NWA 4255 is in contrast to that proposed by Beck and McSween 434 (2010) for their samples. These authors suggest that magnesian orthopyroxenes, ferroan 435 orthopyroxenes, and olivine in close proximity were not in chemical equilibrium, but instead 436 represent the product of brecciation of a harzburgitic lithology and an orthopyroxenitic 437 lithology that were then subsequently mixed to produce their samples (Fig. 10). The high ratio 438 of Cr no. in the chromite of NWA 4255 (as NWA 1877 Diogenite) (Fig. 7) is previously 439 interpreted as residual spinel from the mantle (Irving et al. 2005), precipitate from a primitive 440 melt at chromium saturation according to Irvine (1977) and the chemical estimations of the 441 silicate fraction of 4Vesta (Lodders 2000).

#### 442 The Fe/Mn ratio

443 Fe/Mn ratio in orthopyroxenes of both lithologies varies from 22.28 to 32.64; in addition, it 444 shows a large overlap between them. This ratio is different from what is known for diogenites 445 (Beck and McSween 2010) but is similar to that seen in some olivine diogenites (Beck and 446 McSween 2008) and other HED samples (Mayne et al. 2009). This leads us to raise the 447 question about the Fe/Mn ratio and why it is so different despite the fact that NWA 4255 448 shows most of the diagnostic characteristics of a diogenite from 4Vesta. A different 449 orthopyroxene Fe/Mn in olivine diogenites than in regular diogenite would suggest complex 450 crystallization processes on 4Vesta (Beck and McSween 2008). Furthermore, the Ni/Co in 451 olivine is also different in NWA 4255 compared to other diogenites (Fig. 8).

452

#### 453 Oxygen isotopes

As discussed above, both the harzburgitic and orthopyroxenitic lithologies in NWA 4255 have closely similar oxygen isotope compositions. This supports the conclusions based on petrography and major and trace element geochemistry, indicating that the two major lithologies in NWA 4255 are genetically related to each other.

458

#### 459 MELTS modelling

460 In this section, we use the model of Mandler and Elkins- Tanton (2013) to discuss the likely 461 formation mechanism of the lithological variation observed in NWA 4255. We look at the 462 differentiation and crystallization of the Vestian magmatic ocean, to see how NWA 4255 463 might be placed in the overall crystallization sequence. In particular, we focus on the 464 formation of olivine diogenites and diogenites in general. We chose as our starting material 465 the composition suggested by Boesenberg and Delaney (1997) for the bulk silicate 466 composition of 4Vesta. However, our conclusions would be equally valid if we had chosen a 467 different composition, such as those suggested by Dreibus and Wänke (1980), Lodders 468 (2000); Ruzicka et al. (1997), as compiled by Mandler and Elkins-Tanton (2013). Since, all of 469 these compositions are very similar to each other. We used as the starting conditions for our 470 modelling: IW-7, T = 1622 °C, P = 100 bar (< 1 kb because this is the maximum pressure in 471 the center of 4Vesta if we consider its diameter (530 km) and its average gravity (0.22 m/s2). 472 Using the pMELTS software (Ghiorso et al. 2002), we calculated the compositions of the 473 resulting solids and the modal proportion of each mineral phase. We controlled the liquid in 474 each step and also the evolution of the liquid. We took the composition of the vestian 475 magmatic ocean (Fig. 13, Liquid 1) which undergoes a crystallization rate of 70%. The 70%

476 solids formed (Fig. 13, solid 1) represent a harzburgitic mantle comprising 63% olivine 477 (Fo79), 36% orthopyroxene (Wo2En81Fs17), and 1% spinel (Mg no. 51.48 and Cr no. 72.86). 478 (Fig. 13). The solid mantle formed was separated, and the remaining 30% liquid was restarted 479 and cooled under the same equilibrium conditions. We are able to reproduce the modal and 480 chemical compositions of NWA4255 with 22% crystallization (solid 2). The stages of 481 crystallization at equilibrium of this liquid show that it evolves on the peritectic and produce 482 olivine diogenite (Fig. 13, liquid 2). Olivines react with liquid at peritectic and are consumed 483 partially or totally. When all the olivine has been consumed or isolated within the 484 orthopyroxenes, the liquid leaves the peritectic to enter the liquid + orthopyroxene field (Fig. 485 13, liquid 3). The evolution of the liquid at the level of the peritectic and the subsequent 486 passage through the "Opx + melt" field reflect the transition from equilibrium crystallization 487 to fractional crystallization. We obtained olivine diogenite (solid 2) containing 3.4% olivine 488 (Fe no. 30), 94% orthopyroxene (Fe no. = 74.86) and 2.3% spinel (Mg no. 39.21 and Cr no. 489 70.21) and traces of metal. This composition and the modal proportions of these minerals are 490 very similar to those actually measured in NWA 4255. The results of our modelling suggest 491 that NWA 4255 could be derived from the transition zone between the eucritic-diogenetic 492 crust and the mantle of his parent body. These results are consistent with those of Mandler 493 and Elkins-Tanton (2013).

494

#### 495 **Outstanding issues**

496 The actual composition of spinel in NWA 4255 measured is Mg no. 15.3-22.4 and Cr no. 497 83.09–85.11, whereas the predicted values from the pMELTS calculations are (Mg no. 39.21) 498 and Cr no. 70.21), which are significantly different. Thus, there is a problem in reproducing 499 the magmatic composition of spinel, whereas there was no problem in reproducing this for the 500 other silicates. According to the phase diagrams of basaltic systems at low pressure, there should be no spinel (Mg-Al spinel) at equilibrium, the spinel stability field being far from our 501 502 compositions. However, the composition of the liquid particularly rich in Cr and Fe implies 503 the Cr saturation and the chromium spinel precipitation (Irvine 1977). It is possible that the 504 thermodynamic database of MELTS does not strictly cover these ranges of composition and 505 fugacity oxygen to reproduce spinel composition. Moreover, there are some differences 506 between NWA 4255 and the others HEDs, such as the wide range of variation of the low 507 concentration of Ni in the olivine. Therefore, the Ni/ Co in olivine of NWA 4255 is much 508 different from what is known in the literature, in addition to the low Fe/Mn ratio. At present, 509 there is no simple explanation for these discrepancies.

## 511 **Conclusion**

512 NWA 4255 displays two populations of orthopyroxene crystals as indicated by their major, 513 minor, and trace element compositions. This distinction was also observed with respect to 514 their texture. NWA 4255 is essentially composed of two lithologies: one containing olivine, 515 which we have termed a harzburgite, and the other an olivine-free orthopyroxenite. A 516 transitional lithology is present at the contact between these two main lithologies. This olivine 517 diogenite is an extraction in transitional zone between two different lithologies from Vesta, 518 and it has undergone a subsequent brecciation. Based on the petrographic observations and 519 using chemical data for the modelling, we conclude that the two lithologies are genetically 520 linked. Based on the results of our modelling studies, Vesta evolved first via the formation of 521 a primitive harzburgitic mantle. As soon as this unit was formed, it was separated from the 522 liquid by a fractional crystallization process. The remaining liquid continued to crystallize 523 along the peritectic to form olivine diogenites and then evolved further to form the diogenite 524 by the fractional crystallization. Finally, the harzburgitic and the orthopyroxenitic lithology 525 are formed by the equilibrium crystallization (E.C) and the fractional crystallization (F.C), 526 respectively. The NWA 4255 reflects transition between two different major magmatic 527 processes in 4Vesta (E.C and F.C). The peritectic reactions are the link between these two 528 processes. These lithologies come from the deepest zones of the crust, at the interface with the 529 mantle.

530

531 Acknowledgments We thank Madame Marguerite Godard, for having analyzed one of the 532 aliquots of the whole-rock traces at the Montpellier University. Thanks to J-L. Devidal for the 533 assistance during the microprobe and the ICP-MS analysis. Thanks to J. Chevet for following 534 the analyses of the whole rock. Thanks to J-M. Henot for making the mosaic images and M. 535 Benbakkar for performing the ICP-AES analysis. Special thanks are extended to Magmas et 536 Volcans Laboratory (Saint-Etienne, France) for the preparation of the samples for all analyses 537 and also for welcoming into this laboratory to realize this work. Funding information The 538 Ministry of Higher Education and Scientific Research Algeria (M.E.S.R.S.) granted a 539 PROFAS B+ grant to carry out this work in the Algerian-French program of doctoral 540 scholarships, bilateral cooperation in the field of scientific research. Campus France financed 541 part of the analyses of this work. Oxygen isotope studies at the Open University are funded by 542 a consolidated grant from the Science and Technology Facilities Council (STFC), UK.

## 544 **References**

- 545 Anders E, Grevesse N (1989) Abundances of the elements: meteoritic and solar. Geochim
- 546 Cosmochim Acta 53(1):197–214
- 547 Barrat JA, Beck P, Bohn M, Cotten J, Gillet P, Greenwood RC, Franchi IA (2006) Petrology
- and geochemistry of the fine-grained, unbrecciated diogenite Northwest Africa 4215. Meteorit
- 549 Planet Sci 41(7):1045–1057
- 550 Beck AW, McSween HY (2008) Fe and Mn systematics in olivinebearing diogenites.
- 551Abstract #1291, Lunar and Planetary Science XXXIX, USA
- 552 Beck AW, McSween HY (2010) Diogenites as polymict breccias composed of 553 orthopyroxenite and harzburgite: Diogenites as polymict breccias. Meteorit Planet Sci
- 554 45(5):850-872
- 555 Beck AW, McSween HY, Bodnar RJ (2013) In situ laser ablation ICP-MS analyses of dimict
- 556 diogenites: further evidence for harzburgitic and orthopyroxenitic lithologies. Meteorit Planet
- 557 Sci 48(6):1050–1059
- 558 Boesenberg JS, Delaney JS (1997) A model composition of the basaltic achondrite planetoid.
- 559 Geochim Cosmochim Acta 61(15):3205–3225
- 560 Bowman LE, SpildeMN, Papike JJ (1997) Automated energy dispersive spectrometer modal
- analysis applied to the diogenites. Meteorit Planet Sci 32(6):869–875
- 562 Cartier C, Hammouda T, Doucelance R, Boyet M, Devidal JL, Moine B (2014) Experimental
- 563 study of trace element partitioning between enstatite and melt in enstatite chondrites at low
- oxygen fugacities and 5GPa. Geochim Cosmochim Acta 130:167–187
- 565 Drake MJ (2001) Presidential address: presented 2000 August 28, Chicago, Illinois, USA the
- 566 eucrite/Vesta story. Meteorit Planet Sci 36(4):501–513
- 567 Dreibus G, Wänke H (1980) The bulk composition of the Eucrite parent asteroid and its
- bearing on planetary evolution. Z Naturforsch A 35(2)204–216
- 569 Fowler GW, Papike JJ, Spilde MN, Shearer CK (1994) Diogenites as asteroidal cumulates:
- insights from orthopyroxene major and minor element chemistry. Geochim Cosmochim Acta
  58(18):3921–3929
- 572 Fowler GW, Shearer CK, Papike JJ, Layne GD (1995) Diogenites as asteroidal cumulates:
- 573 insights from orthopyroxene trace element chemistry. Geochim Cosmochim Acta 574 59(14):3071–3084
- 575 Ghiorso MS, HirschmannMarcM, Reiners PeterW, Kress VC III (2002) The pMELTS: an
- 576 revision of MELTS aimed at improving calculation of phase relations and major element

- 577 partitioning involved in partial melting of the mantle at pressures up to 3 GPa. Geochem
  578 Geophys Geosyst 3(5). <u>https://doi.org/10.1029/2001GC000217</u>
- 579 Greenwood RC, Barrat JA, Scott ERD, Haack H, Buchanan PC, Franchi IA, Burbine TH
- 580 (2015) Geochemistry and oxygen isotope composition of main-group pallasites and olivine-
- 581 rich clasts in mesosiderites: Implications for the "Great Dunite Shortage" and HED-
- 582 mesosiderite connection. Geochim Cosmochim Acta 169: 115–136
- 583 Greenwood RC, Burbine TH, Miller MF, Franchi IA (2017) Melting and differentiation of
- 584 early-formed asteroids: the perspective from high precision oxygen isotope studies. Chem
- 585 Erde-Geochem 77:1–43
- 586 Hahn TM, Lunning NG, McSween HY, Bodnar RJ, Taylor LA (2018) Mg-rich harzburgites
- from Vesta: mantle residua or cumulates from planetary differentiation? Meteorit Planet Sci53(3):514–546
- 589 Irvine TN (1977) Chrome spinel crystallization in the join Mg2SiO4- CaMgSi2O6590 MgCr2O4-SiO2. Carnegie Inst Washington Yearb 76: 465–472
- 591 Irving AJ, Kuehner SM, Carlson RW, Rumble D, Hupé AC, Hupé GM (2005) Petrology and
- 592 multi-isotopic composition of olivine diogenite nwa 1877: a mantle peridotite in the proposed
- hedo group of meteorites. Abstract #2188 Lunar and Planetary Science XXXVI, USA
- 594 Irving AJ, Bunch TE, Kuehner SM, Wittke JH, Rumble D (2009) Peridotites related to
- 4vesta: deep crustal igneous cumulates and mantle samples. Abstract #2466. 40th Lunar and

596 Planetary Science Conference, USA

- Krawczynski MJ, Elkins-Tanton LT, Grove TL (2008) Krawczynski 2008. Petrology of
  mesosiderite(?) MIL03443,9; constraints on eucrite parent body bulk composition and
  magmatic processes. Abstract #1229, 39 th Lunar and Planetary Science Conference, USA
- 600 Lodders K (2000) An oxygen isotope mixing model for the accretion and composition of
- 601 rocky planets. In: Benz W, Kallenbach R, Lugmair GW (eds) From dust to terrestrial planets,
- 602 vol 9. Springer Netherlands, Dordrecht, pp 341–354
- 603 Lunning NG, McSween HY, Tenner TJ, Kita NT, Bodnar RJ (2015) Olivine and pyroxene
- from the mantle of asteroid 4 Vesta. Earth Planet Sci Lett 418:126–135
- 605 Mandler BE, Elkins-Tanton LT (2013) The origin of eucrites, diogenites, and olivine
- 606 diogenites: magma ocean crystallization and shallow magma chamber processes on Vesta.
- 607 Meteorit Planet Sci 48(11): 2333–2349
- Mayne RG, McSween HY, McCoy TJ, Gale A (2009) Petrology of the unbrecciated eucrites.
- 609 Geochim Cosmochim Acta 73(3):794–819

- Miller MF (2002) Isotopic fractionation and the quantification of 17O anomalies in the
  oxygen three-isotope system: an appraisal and geochemical significance. Geochim
  Cosmochim Acta 66(11):1881–1889
- 613 Miller MF, Franchi IA, Sexton AS, Pillinger CT (1999) High-precision d17O isotope
- 614 measurements of oxygen from silicates and other oxides: methods and applications. Rapid
- 615 Commun Mass Spectrom 13: 1211–1217
- 616 Mittlefehldt DW (1994) The genesis of diogenites and HED parent body petrogenesis.
- 617 Geochim Cosmochim Acta 58(5):1537–1552
- 618 Mittlefehldt DW (2000) Petrology and geochemistry of the elephant moraine A79002
- 619 diogenite: a genomict breccia containing a magnesian harzburgite component. Meteorit Planet
- 620 Sci 35(5):901–912
- 621 Mittlefehldt DW (2015) Asteroid (4) Vesta: I. the howardite-eucritediogenite (HED) clan of
- 622 meteorites. Chem Erde-Geochem 75(2): 155–183
- 623 Righter K, Drake MJ (1997) A magma ocean on Vesta: core formation and petrogenesis of
- 624 eucrites and diogenites. Meteorit Planet Sci 32(6):929–944
- 625 Ruzicka A, Snyder GA, Taylor LA (1997) Vesta as the howardite, eucrite and diogenite
- parent body: implications for the size of a core and for large-scale differentiation. MeteoritPlanet Sci 32(6):825–840
- 628 Sack RO, Ghiorso MS (1991) Chromian spinels as petrogenetic indicators: thermodynamics
- and petrological applications. AmMineral 76: 827–847
- 630 Shearer CK, Fowler GW, Papike JJ (1997) Petrogenetic models for magmatism on the eucrite
- parent body: evidence from orthopyroxene in diogenites. Meteorit Planet Sci 32(6):877–889
- 632 Shearer CK, Burger P, Papike JJ (2010) Petrogenetic relationships between diogenites and
- 633 olivine diogenites: implications for magmatism on the HED parent body. Geochim
- 634 Cosmochim Acta 74(16):4865–4880
- 635 Stopler E (1975) Petrogenesis of eucrite, howardite and diogenite meteorites. Nature
  636 258:220–222
- 637 Toplis MJ, Mizzon H, Monnereau M, Forni O, McSween HY, Mittlefehldt DW, Russell CT
- (2013) Chondritic models of 4 Vesta: implications for geochemical and geophysical
  properties. Meteorit Planet Sci 48(11):2300–2315
- 640 Van Achterberg E, Ryan CG, Griffin WL (2001) GLITTER version 4 user's manual on-line
- 641 interactive data reduction for the LA-ICPMS microprobe. Macquarie Research Ltd, North642 Ryde 71
- 643

| 644 | Tables  |
|-----|---------|
|     | 1 40100 |

| n°<br>Lithology                | 6<br>Harzburg | 28<br>gitic | 19     | 27     | 42     | 3          | 50             | 8<br>Orthopy | 16<br>roxenitic | 57     | 41     | 58     |
|--------------------------------|---------------|-------------|--------|--------|--------|------------|----------------|--------------|-----------------|--------|--------|--------|
|                                |               |             |        |        |        | Opx inclus | ion in olivine |              |                 |        |        |        |
| SiO <sub>2</sub>               | 55.51         | 55.57       | 55.70  | 55.83  | 55.64  | 56.21      | 55.90          | 55.57        | 54.93           | 55.13  | 55.47  | 55.06  |
| TiO <sub>2</sub>               | 0.06          | 0.06        | 0.02   | 0.02   | 0.01   | b.d.       | 0.07           | 0.07         | 0.11            | 0.04   | 0.04   | 0.09   |
| Al <sub>2</sub> O <sub>3</sub> | 0.17          | 0.33        | 0.27   | 0.31   | 0.31   | 0.13       | 0.16           | 0.35         | 0.33            | 0.40   | 0.29   | 0.36   |
| Cr <sub>2</sub> O <sub>3</sub> | 0.21          | 0.24        | 0.12   | 0.24   | 0.21   | 0.18       | 0.17           | 0.33         | 0.31            | 0.30   | 0.21   | 0.25   |
| FeO                            | 15.03         | 15.04       | 15.13  | 15.16  | 15.68  | 15.06      | 15.58          | 16.20        | 16.26           | 16.61  | 16.58  | 16.54  |
| MnO                            | 0.51          | 0.66        | 0.59   | 0.50   | 0.54   | 0.59       | 0.57           | 0.55         | 0.62            | 0.60   | 0.68   | 0.59   |
| MgO                            | 28.04         | 28.11       | 27.88  | 27.79  | 27.42  | 28.16      | 27.78          | 26.90        | 26.65           | 26.76  | 26.61  | 26.40  |
| CaO                            | 0.90          | 0.78        | 0.66   | 0.71   | 0.82   | 0.69       | 0.73           | 0.78         | 0.78            | 0.85   | 0.86   | 0.78   |
| Na2O                           | 0.11          | 0.01        | 0.02   | 0.00   | 0.04   | 0.03       | 0.02           | 0.02         | 0.00            | 0.00   | 0.04   | 0.03   |
| K <sub>2</sub> O               | 0.00          | 0.02        | 0.00   | 0.02   | 0.02   | 0.00       | 0.01           | 0.01         | 0.01            | 0.00   | 0.00   | 0.00   |
| Total                          | 100.54        | 100.83      | 100.39 | 100.58 | 100.68 | 101.05     | 100.99         | 100.79       | 100.00          | 100.69 | 100.79 | 100.12 |
| Fe/Mn                          | 29.17         | 22.28       | 25.47  | 29.90  | 28.41  | 25.10      | 26.72          | 28.92        | 26.02           | 27.21  | 24.03  | 27.42  |
| Fe/Mg                          | 30.06         | 30.02       | 30.45  | 30.60  | 32.08  | 30.01      | 31.46          | 33.78        | 34.23           | 34.81  | 34.96  | 35.15  |
| Mg #                           | 76.89         | 76.91       | 76.66  | 76.57  | 75.71  | 76.92      | 76.07          | 74.75        | 74.50           | 74.18  | 74.10  | 73.99  |
| Wo %                           | 1.75          | 1.51        | 1.29   | 1.39   | 1.59   | 1.33       | 1.42           | 1.54         | 1.55            | 1.67   | 1.70   | 1.55   |
| En %                           | 75.54         | 75.75       | 75.67  | 75.50  | 74.51  | 75.89      | 74.99          | 73.60        | 73.34           | 72.94  | 72.84  | 72.84  |
| Fs %                           | 22.71         | 22.74       | 23.04  | 23.10  | 23.90  | 22.78      | 23.59          | 24.86        | 25.10           | 25.39  | 25.46  | 25.61  |

....

Mg no. = Mg/(Mg + Fe)  $\times$  100. Fe/Mn and Fe/Mg are calculated from molar abundances

b.d. below detection limit

645 646

| Table 2 | Representative micro | probe analyses fo | r chromite of ortho | pyroxenitic litholo | gy (in wt% oxides) |
|---------|----------------------|-------------------|---------------------|---------------------|--------------------|
|---------|----------------------|-------------------|---------------------|---------------------|--------------------|

| Fragment                       | 50    | 52    | 44    | 11    | 19    | 16    | 3     | 15    | 4     | 10    | 20    | 13    |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SiO <sub>2</sub>               | 0.02  | 0.05  | 0.07  | 0.00  | 0.00  | 0.14  | 0.02  | 0.00  | 0.02  | 0.01  | 0.01  | 0.00  |
| TiO <sub>2</sub>               | 0.37  | 0.46  | 0.56  | 0.57  | 0.63  | 0.52  | 0.51  | 0.62  | 0.54  | 0.64  | 0.49  | 0.35  |
| $Al_2O_3$                      | 7.94  | 7.68  | 7.43  | 7.27  | 7.29  | 6.96  | 7.21  | 7.07  | 7.22  | 7.15  | 7.13  | 7.13  |
| Cr <sub>2</sub> O <sub>3</sub> | 57.38 | 58.84 | 59.38 | 58.60 | 59.32 | 56.92 | 59.08 | 58.66 | 59.90 | 59.36 | 59.33 | 58.49 |
| FeO                            | 28.53 | 27.90 | 27.88 | 26.77 | 27.31 | 28.00 | 27.44 | 26.91 | 27.52 | 26.71 | 27.63 | 28.02 |
| MnO                            | 0.69  | 0.67  | 0.56  | 0.63  | 0.59  | 0.57  | 0.61  | 0.65  | 0.59  | 0.58  | 0.62  | 0.66  |
| MgO                            | 2.89  | 3.13  | 3.43  | 3.91  | 3.73  | 3.73  | 3.54  | 3.90  | 3.66  | 3.93  | 3.58  | 3.07  |
| Total                          | 97.82 | 98.74 | 99.30 | 97.75 | 98.87 | 96.85 | 98.41 | 97.86 | 99.44 | 98.41 | 98.79 | 97.72 |
| Mg#                            | 15.57 | 16.65 | 18.04 | 20.85 | 19.68 | 20.01 | 18.86 | 20.83 | 19.26 | 20.81 | 19.03 | 15.86 |
| Cr#                            | 82.90 | 83.71 | 84.29 | 84.39 | 84.53 | 84.59 | 84.61 | 84.76 | 84.77 | 84.78 | 84.80 | 84.83 |
| Sp                             | 15.42 | 16.07 | 15.43 | 15.29 | 15.18 | 14.78 | 15.11 | 14.88 | 14.97 | 14.95 | 14.89 | 14.90 |
| Chrm                           | 81.23 | 82.54 | 82.75 | 83.18 | 82.90 | 83.30 | 83.06 | 83.45 | 83.32 | 83.33 | 83.11 | 83.33 |
| Usp                            | 1.01  | 1.24  | 1.47  | 1.52  | 1.69  | 1.42  | 1.37  | 1.66  | 1.43  | 1.70  | 1.30  | 1.24  |

Mg no. = Mg/(Mg + Fe)  $\times$  100. Cr no. = Mg/(Mg + Fe)  $\times$  100 calculated from molar abundances

.7 *b.d.* below detection limit

Table 3 Representative microprobe analyses for olivine from harzburgitic lithology (in wt% oxides)

| Specific                       | Large gra | ains   |        |        |        |        |        | Small inclusions in opx |        |        |        |        |
|--------------------------------|-----------|--------|--------|--------|--------|--------|--------|-------------------------|--------|--------|--------|--------|
| n°                             | 25        | 9      | 10     | 11     | 12     | 13     | 48     | 28                      | 39     | 33     | 41     | 44     |
| SiO <sub>2</sub>               | 38.27     | 38.19  | 38.05  | 38.13  | 37.93  | 37.99  | 38.25  | 38.17                   | 36.97  | 37.60  | 38.13  | 37.96  |
| TiO <sub>2</sub>               | b.d.      | b.d.   | 0.02   | 0.02   | b.d.   | b.d.   | 0.07   | 0.01                    | 0.05   | b.d.   | b.d.   | b.d.   |
| Al <sub>2</sub> O <sub>3</sub> | b.d.      | 0.02   | b.d.   | b.d.   | b.d.   | 0.02   | 0.02   | b.d.                    | 0.02   | b.d.   | 0.01   | b.d.   |
| Cr <sub>2</sub> O <sub>3</sub> | 0.01      | b.d.                    | 0.03   | b.d.   | b.d.   | b.d.   |
| FeO                            | 25.08     | 25.30  | 24.90  | 25.16  | 24.99  | 25.31  | 25.94  | 26.22                   | 28.07  | 26.87  | 26.53  | 26.98  |
| MnO                            | 0.47      | 0.48   | 0.52   | 0.52   | 0.52   | 0.46   | 0.60   | 0.67                    | 0.61   | 0.59   | 0.60   | 0.60   |
| MgO                            | 36.80     | 36.68  | 36.91  | 37.06  | 37.08  | 37.00  | 36.21  | 35.60                   | 34.68  | 35.50  | 35.26  | 35.36  |
| CaO                            | 0.06      | 0.01   | 0.03   | 0.04   | 0.02   | 0.02   | 0.01   | 0.06                    | 0.07   | b.d.   | 0.02   | 0.05   |
| Na <sub>2</sub> O              | 0.02      | 0.03   | b.d.   | 0.03   | b.d.   | b.d.   | b.d.   | b.d.                    | b.d.   | b.d.   | b.d.   | b.d.   |
| Total                          | 100.70    | 100.74 | 100.47 | 100.98 | 100.58 | 100.80 | 101.09 | 100.73                  | 100.50 | 100.56 | 100.56 | 100.95 |
| Fe/Mn                          | 52.73     | 51.37  | 47.02  | 47.71  | 47.03  | 54.04  | 42.42  | 38.77                   | 45.17  | 45.12  | 43.29  | 44.17  |
| Mg#                            | 72.34     | 72.10  | 72.55  | 72.42  | 72.57  | 72.27  | 71.33  | 70.76                   | 68.77  | 70.19  | 70.32  | 70.02  |
| Fa                             | 27.66     | 27.90  | 27.45  | 27.58  | 27.43  | 27.73  | 28.67  | 29.24                   | 31.23  | 29.81  | 29.68  | 29.98  |

Mg no. = Mg/(Mg + Fe) × 100. Fe/Mn and Fe/Mg are calculated from molar abundances

b.d. below detection limit

649 650

 Table 4
 Representative microprobe analyses of Iron metal from orthopyroxenitic and harzburgitic lithologies (wt% element)

| Lithology | Orthopy | oxenitic |       |        |        | Harzburgitic |         |        |        |        |        |        |
|-----------|---------|----------|-------|--------|--------|--------------|---------|--------|--------|--------|--------|--------|
| n°        | 3       | 12       | 23    | 25     | 15     | 7            | 19      | 16     | 17     | 20     | 19     | 30     |
| Si        | 0.06    | 0.02     | 0.01  | 0.01   | b.d.   | 0.02         | b.d.    | b.d.   | 0.01   | b.d.   | b.d.   | b.d.   |
| S         | 0.03    | 0.02     | 0.01  | 0.04   | b.d.   | 0.01         | b.d.    | 0.01   | 0.01   | b.d.   | b.d.   | 0,01   |
| Fe        | 98.16   | 98.68    | 99.04 | 99.36  | 99.41  | 99.59        | 99.74   | 99.75  | 99.75  | 99.83  | 99.83  | 99.83  |
| Co        | 0.45    | 0.46     | 0.51  | 0.49   | 0.28   | 0.30         | 0.41    | 0.34   | 0.34   | 0.38   | 0.39   | 0.42   |
| Ni        | 0.14    | 0.12     | b.d.  | 0.13   | 0.10   | b.d.         | 0.09    | b.d.   | b.d.   | b.d.   | 0.11   | b.d.   |
| Mg        | b.d.    | b.d.     | b.d.  | 0.01   | 0.01   | b.d.         | b.d.    | 0.01   | 0.01   | 0.01   | b.d.   | b.d.   |
| Mn        | 0.05    | 0.04     | 0.03  | 0.01   | b.d.   | 0.01         | b.d.    | 0.01   | b.d.   | 0.02   | 0.01   | b.d.   |
| Cr        | 0.09    | 0.05     | 0.07  | 0.02   | b.d.   | 0.02         | b.d.    | 0.01   | 0.11   | 0.59   | 0.02   | b.d.   |
| Total     | 98.98   | 99.39    | 99.76 | 100.05 | 99.80  | 99.99        | 100.24  | 100.15 | 100.27 | 100.86 | 100.36 | 100.32 |
| Fe/Ni     | 717.02  | 836.96   |       | 786.07 | 982.32 |              | 1102.14 |        |        |        | 930.38 |        |
| Ni/Co     | 0.30    | 0.26     |       | 0.26   | 0.36   |              | 0.22    |        |        |        | 0.27   |        |

 Table 5
 Representative microprobe analyses for sulfides from harzburgitic and orthopyroxenitic lithology (wt% element)

| n°    |       | Harzbur | gitic litholo | gy    |       |       |       |        | Orthopyroxenitic lithology |        |        |        |
|-------|-------|---------|---------------|-------|-------|-------|-------|--------|----------------------------|--------|--------|--------|
|       | 28    | 21      | 36            | 38    | 11    | 51    | 17    | 45     | 13                         | 3      | 41     | 39     |
| s     | 36.66 | 35.73   | 36.77         | 36.86 | 36.78 | 36.54 | 37.08 | 36.81  | 36.62                      | 36.31  | 36.58  | 35.30  |
| Si    | 0.02  | 0.08    | 0.01          | 0.04  | 0.01  | 0.04  | 0.05  | 0.02   | b.d.                       | 0.01   | b.d.   | 0.04   |
| Fe    | 62.99 | 62.36   | 62.83         | 62.53 | 62.74 | 62.82 | 62.22 | 62.17  | 61.60                      | 62.29  | 61.78  | 61.88  |
| Co    | b.d.  | 0.04    | b.d.          | b.d.  | b.d.  | b.d.  | b.d.  | b.d.   | b.d.                       | b.d.   | b.d.   | b.d.   |
| Ni    | 0.01  | 0.01    | b.d.          | b.d.  | b.d.  | b.d.  | b.d.  | 0.02   | 0.02                       | b.d.   | b.d.   | 0.01   |
| Mg    | b.d.  | 0.01    | 0.02          | 0.01  | b.d.  | 0.01  | b.d.  | b.d.   | b.d.                       | 0.01   | b.d.   | b.d.   |
| Mn    | b.d.  | 0.06    | 0.04          | 0.01  | 0.02  | b.d.  | 0.03  | 0.01   | 0.04                       | b.d.   | b.d.   | 0.03   |
| Cr    | 0.01  | 0.03    | 0.08          | 0.02  | 0.04  | 0.07  | 0.11  | 1.57   | 2.29                       | 2.34   | 2.42   | 2.82   |
| Cu    | b.d.  | b.d.    | b.d.          | 0.05  | 0.07  | b.d.  | b.d.  | 0.04   | 0.05                       | 0.03   | 0.01   | 0.02   |
| Sum   | 99.69 | 98.32   | 99.75         | 99.51 | 99.65 | 99.48 | 99.50 | 100.64 | 100.62                     | 100.99 | 100.79 | 100.10 |
| Fe/Ni | 4531  | 5376    | -             | -     | -     | -     | -     | 3342   | 3802                       | -      | -      | 10668  |

| Lithology                              | Harzburgitic | •     |       |        |        |            |        |        |       |        |       |
|--|--------------|-------|-------|--------|--------|------------|--------|--------|-------|--------|-------|
|  | Orthopyrox   | ene   |       |        |        | Olivine    |        |        |       |        |       |
| n°                                     | 9            | 10    | 16    | 3      | 4      | 5          | 6      | 7      | 8     | 14     | 15    |
| Ca                                     | 4972         | 4792  | 4216  | -      | -      | 1215       | 429    | 315    | 338   | -      | -     |
| Sc                                     | 13.3         | 11.7  | 9.5   | 6.61   | 7.21   | 4.1        | 3.77   | 4.01   | 3.73  | 3.8    | 3.40  |
| Ti                                     | 260          | 239   | 207   | -      | _      | 48.7       | 38     | 43     | 39.4  | 40.56  | 32.58 |
| v                                      | 124          | 108   | 91    | 60.93  | 64.65  | 16.1       | 15.4   | 14     | 16.1  | 16.76  | 16.16 |
| Cr                                     | 2254         | 1776  | 1331  | 704.27 | 750.63 | 57         | 58     | 45     | 53    | 59.05  | 50.31 |
| Co                                     | 13.2         | 5.81  | 25.8  | 537.44 | 81.75  | 133        | 51     | 19.9   | 17.9  | 158.52 | 25.50 |
| Ni                                     | 4,2          | 0.371 | 3.07  | 99.7   | 15.04  | 23.15      | 10.6   | 3.73   | 2.94  | 26.62  | 5.05  |
| Rb                                     | 0.006        | 0.004 | 0.008 | -      | -      | 0.016      | 0.004  | 0.014  | 0.067 | _      | _     |
| Sr                                     | 0.19         | 0.320 | 1.32  | -      | _      | 11.04      | 2,1    | 2.09   | 4.57  | _      | _     |
| Y                                      | 0.087        | 0.078 | 0.053 | 0.05   | 0.04   | 0.009      | 0.003  | 0.004  | 0.016 | -      | _     |
| Zr                                     | 0.103        | 0.053 | 0.029 | 0.04   | 0.06   | 0.019      | b.d.   | b.d.   | b.d.  | _      | _     |
| Nb                                     | 0.036        | 0.025 | 0.024 | 0.03   | 0.02   | 0.007      | 0.002  | 0.002  | 0.005 | _      | _     |
| Ba                                     | b.d.         | b.d.  | b.d.  | 13.06  | 2.81   | 6.321      | 0.949  | 1.604  | 4.698 | _      | _     |
| La                                     | 0.005        | 0.002 | 0.002 | 0.01   | 0.01   | 0.003      | 0.001  | 0.003  | 0.014 | _      | _     |
| Ce                                     | 0.013        | 0.005 | 0.009 | _      | _      | 0.004      | 0.002  | 0.008  | 0.036 | _      | _     |
| Pr                                     | 0.002        | 0.001 | 0.002 | _      | -      | 0.001      | b.d.   | 0.001  | 0.004 | _      | _     |
| Nd                                     | 0.013        | 0.010 | 0.010 | _      | _      | 0.007      | b.d.   | 0.004  | 0.016 | _      | _     |
| Sm                                     | 0.005        | 0.005 | 0.006 | _      | _      | b.d.       | b.d.   | b.d.   | 0.005 | _      | _     |
| Eu                                     | 0.001        | 0.001 | b.d.  | _      | _      | b.d.       | b.d.   | b.d.   | b.d.  | _      | _     |
| Gd                                     | 0.009        | 0.008 | 0.006 | _      | _      | b.d.       | b.d.   | b.d.   | b.d.  | _      | _     |
| ть                                     | 0.002        | 0.001 | 0.001 | _      | -      | b.d.       | b.d.   | b.d.   | 0.001 | _      | _     |
| Dv                                     | 0.013        | 0.011 | 0.008 | _      | _      | b.d.       | b.d.   | 0.002  | 0.004 | _      | _     |
| Ho                                     | 0.003        | 0.003 | 0.002 | _      | _      | 0.001      | b.d.   | b.d.   | b.d.  | _      | _     |
| Fr                                     | 0.010        | 0.012 | 0.008 | _      | _      | b.d.       | bd.    | b.d.   | 0.003 | _      | _     |
| Tm                                     | 0.003        | 0.003 | 0.002 | _      | _      | 0.001      | bd.    | b.d.   | 0.001 | _      | _     |
| Yb                                     | 0.021        | 0.022 | 0.017 | _      | _      | 0.002      | hd     | hd     | 0.007 | _      | _     |
| In                                     | 0.005        | 0.005 | 0.004 | _      | _      | 0.001      | 0.001  | 0.001  | 0.001 | _      | _     |
| Hf                                     | 0.003        | 0.004 | 0.002 | _      | _      | 0.001      | bd.    | h.d.   | 0.002 | _      | _     |
| Ta                                     | b.d.         | b.d.  | b.d.  | _      | _      | b.d.       | b.d.   | b.d.   | b.d.  | _      | _     |
| Pb                                     | 0.004        | 0.002 | 0.005 | _      | _      | 0.021      | 0.006  | 0.010  | 0.036 | _      | _     |
| Th                                     | 0.001        | h d   | hd    | _      | _      | 0.001      | hd     | 0.001  | 0.002 | _      | _     |
| u                                      | hd           | h.d.  | h.d.  | _      | _      | 0.029      | 0.011  | 0.004  | 0.017 | _      | _     |
| Ni/Co                                  | 0.318        | 0.064 | 0.119 | 0.19   | 0.18   | 0.174      | 0.209  | 0.187  | 0.165 | 0.17   | 0.20  |
| (La/Yb)n                               | 0.16         | 0.05  | 0.10  | _      | _      | 0.92       | _      | _      | 1.30  | _      | _     |
| (La/Sm)n                               | 0.64         | 0.19  | 0.27  | _      | _      | _          | _      | _      | 1.85  | _      | _     |
| (Sm/Vh)n                               | 0.25         | 0.26  | 0.36  | _      | _      | _          | _      | _      | 0.70  | _      | _     |
| En/En*                                 | 0.43         | 0.55  | _     | _      | _      | _          | _      | _      | _     | _      | _     |
| Ce/Ce*                                 | 3.71         | 3.76  | 4.84  | _      | _      | 3.05       | _      | 5.16   | 5.10  | _      | _     |
| Lithology                              |              |       |       |        |        | Orthonyrox | enitic |        |       |        |       |
|  | Orthonsrow   | -     |       |        |        | Chromite   |        |        |       |        |       |
| <b>n</b> <sup>0</sup>                  | 20           | 17    | 18    | 1      | 2      | 11         | 12     | 13     | 10    |        |       |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | 20           | 4060  | 4855  | 5031   | 4008   | 72         | 54     | 30     | 84    |        |       |
| So.                                    | 13.41        | 13.4  | 12.6  | 12.5   | 12.1   | 630        | 6.08   | 5.71   | 5.16  |        |       |
| т                                      | -            | 276   | 250   | 264    | 255    | 3516       | 3460   | 3640   | 3544  |        |       |
| v                                      | 112.74       | 113   | 100   | 117    | 117    | 5440       | 5471   | 5457   | \$360 |        |       |
| ~                                      | 114,79       | 1666  | 1664  | 2122   | 2076   | 376242     | 276242 | 276242 | 3309  |        |       |
| Co                                     | 5.01         | 5.01  | 5.14  | 5 50   | 5 56   | 10.5       | 3/0242 | 7.9    | 0.8   |        |       |
| 00                                     | 3.01         | 5.01  | 3.14  | 5.50   | 2.20   | 10.5       | 11.7   | 1-0    | 7.0   |        |       |

Table 6 Trace element concentrations (ppm) for orthopyroxene, olivine, and chromite in NWA 4255

| Ni       | 0.39  | 0.386 | 0.309 | 0.238 | 0.254 | 0.133 | 0.291 | 0.389 | 0.50  |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Rb       | -     | 0.008 | 0.011 | b.d.  | b.d.  | 0.006 | 0.005 | 0.004 | 0.012 |
| Sr       | -     | 0.209 | 0.190 | 0.217 | 0.182 | 0.199 | 0.211 | 0.246 | 0.263 |
| Y        | -     | 0.098 | 0.094 | 0.145 | 0.137 | 0.016 | 0.018 | 0.018 | 0.019 |
| Zr       | -     | 0.085 | 0.114 | 0.217 | 0.201 | 3.83  | 3.9   | 3.91  | 3.93  |
| Nb       | -     | 0.025 | 0.026 | 0.040 | 0.029 | 3.73  | 3.75  | 3.67  | 3.93  |
| Ba       | -     | 0.067 | 0.077 | b.d.  | 0.014 | b.d.  | 0.016 | 0.066 | 0.126 |
| La 🛛     | -     | 0.002 | 0.003 | 0.002 | 0.002 | b.d.  | b.d.  | b.d.  | 0.008 |
| Ce       | -     | 0.008 | 0.013 | 0.012 | 0.009 | 0.003 | 0.002 | b.d.  | 0.008 |
| Pr       | -     | 0.002 | 0.002 | 0.003 | 0.003 | b.d.  | b.d.  | b.d.  | 0.001 |
| Nd       | -     | 0.018 | 0.017 | 0.028 | 0.024 | b.d.  | b.d.  | b.d.  | 0.013 |
| Sm       | -     | 0.007 | 0.008 | 0.015 | 0.012 | 0.003 | b.d.  | b.d.  | b.d.  |
| Eu       | _     | 0.002 | 0.002 | 0.002 | 0.002 | b.d.  | b.d.  | b.d.  | b.d.  |
| Gd       | -     | 0.010 | 0.011 | 0.018 | 0.016 | b.d.  | b.d.  | b.d.  | b.d.  |
| ть       | -     | 0.002 | 0.002 | 0.002 | 0.003 | 0.001 | b.d.  | b.d.  | b.d.  |
| Dy       | -     | 0.014 | 0.015 | 0.022 | 0.024 | b.d.  | b.d.  | b.d.  | b.d.  |
| Ho       | _     | 0.003 | 0.003 | 0.005 | 0.005 | b.d.  | b.d.  | b.d.  | b.d.  |
| Er       | -     | 0.015 | 0.014 | 0.020 | 0.021 | b.d.  | b.d.  | b.d.  | b.d.  |
| Tm       | -     | 0.002 | 0.003 | 0.003 | 0.004 | b.d.  | b.d.  | b.d.  | b.d.  |
| Yb       | -     | 0.027 | 0.029 | 0.034 | 0.032 | b.d.  | b.d.  | b.d.  | b.d.  |
| Lu       | -     | 0.005 | 0.005 | 0.005 | 0.005 | b.d.  | b.d.  | b.d.  | b.d.  |
| Hf       | -     | 0.003 | 0.003 | 0.007 | 0.007 | 0.023 | 0.023 | 0.054 | 0.019 |
| Ta       | -     | b.d.  | b.d.  | b.d.  | 0.001 | 0.008 | 0.009 | 0.002 | 0.008 |
| Pb       | -     | 0.006 | 0.010 | 0.005 | 0.005 | b.d.  | 0.003 | 0.006 | b.d.  |
| Th       | -     | b.d.  | 0.001 | b.d.  | b.d.  | b.d.  | b.d.  | b.d.  | b.d.  |
| U        | -     | b.d.  |
| Ni/Co    | 0.077 | 0.077 | 0.060 | 0.043 | 0.046 | 0.013 | 0.025 | 0.050 | 0.05  |
| (La/Yb)n | -     | 0.05  | 0.08  | 0.03  | 0.04  | _     | -     | -     | -     |
| (La/Sm)n | -     | 0.18  | 0.28  | 0.07  | 0.09  | _     | _     | -     | -     |
| (Sm/Yb)n | -     | 0.30  | 0.30  | 0.48  | 0.43  | _     | _     | -     | _     |
| Eu/Eu*   | -     | 0.66  | 0.56  | 0.42  | 0.35  | _     | _     | -     | _     |
| Ce/Ce*   | -     | 3.41  | 4.59  | 5.14  | 4.13  | -     | _     | -     | 2.76  |
|          |       |       |       |       |       |       |       |       |       |

 $Values normalized to CI chondrite (Anders and Grevesse 1989). Eu/Eu*=Eu_{n}/((Sm_{n}xGd_{n})^{1/2}). Ce/Ce*=Ce_{n}/(La_{n}xPr_{n})^{1/2})$ 

b.d below detection limit

|                                | Aliquot 1<br>Glass bids (Nancy) (1560 mg) | Aliquot 1<br>ICP-AES (LMV) (1560 mg) | Aliquot 2<br>ICP-AES (LMV) (1570 mg) | Average | Standard deviation |
|--------------------------------|---|--------------------------------------|--------------------------------------|---------|--------------------|
| Mass (mg)                      | 5   | 100                                  | 100                                  |         |                    |
| SiO2 (wt%)                     | 53.16                                     | 53.46                                | 54.03                                | 53.55   | 0.44               |
| TiO <sub>2</sub>               | 0.07                                      | 0.08                                 | 0.05                                 | 0.07    | 0.01               |
| Al <sub>2</sub> O <sub>3</sub> | 0.49                                      | 0.64                                 | 0.62                                 | 0.58    | 0.08               |
| Cr <sub>2</sub> O <sub>3</sub> | 0.56                                      |                                      |                                      | 0.56    |                    |
| FeO                            | 16.29                                     | 16.93                                | 16.79                                | 16.67   | 0.34               |
| MnO                            | 0.55                                      | 0.58                                 | 0.57                                 | 0.57    | 0.01               |
| MgO                            | 26.51                                     | 27.27                                | 26.60                                | 26.79   | 0.41               |
| CaO                            | 0.84                                      | 0.81                                 | 0.78                                 | 0.81    | 0.03               |
| NatO                           | 0.07                                      | 0.15                                 | 0.12                                 | 0.11    | 0.04               |
| K2O                            | 0.05                                      | 0.17                                 | 0.12                                 | 0.12    | 0.06               |
| NiO                            | 0.02                                      | -                                    | -                                    | 0.02    |                    |
| Sum                            | 98.61                                     | 100.11                               | 99.73                                |         |                    |
|                                | (Mntp.)                                   | ICP-MS (LMV)                         | ICP-MS (LMV)                         |         |                    |
| Mass (mg)                      | 50  | 98.4                                 | 100.28                               |         |                    |
| Li (ppm)                       | 1.2                                       | 1.23                                 | 1,22                                 | 1,22    | 0.02               |
| Sc                             | 13.2                                      | 11.5                                 | 11.9                                 | 12.2    | 0.90               |
| Ti                             | 278                                       | 260                                  | 252                                  | 263     | 13.3               |
| V                              |   | 169                                  | 147                                  | 158     | 15.6               |
| Cr                             |   | 5455                                 | 3948                                 | 4701    | 1065               |
| Mn                             |   | 3862                                 | 3962                                 | 3912    | 70.7               |
| Co                             | 14.7                                      | 15.5                                 | 13.4                                 | 14.5    | 1.06               |
| Ni                             | 3.7                                       | 2.43                                 | 2.17                                 | 2.77    | 0.82               |
| Cu                             | 3.1                                       | 2.9                                  | 2,42                                 | 2.82    | 0.35               |
| Rb                             | 0.079                                     | 0,077                                | 0,139                                | 0.098   | 0.04               |
| Sr                             | 1.368                                     | 1.12                                 | 1.46                                 | 1.32    | 0.18               |
| Y                              | 0.167                                     | 0.168                                | 0.184                                | 0.173   | 0.01               |
| Zr                             | 0.443                                     | 0.417                                | 0.619                                | 0.493   | 0.11               |
| Nb                             | 0.036                                     | 0.028                                | 0.037                                | 0.034   | 0.01               |
| Cs                             | 0.005                                     |                                      |                                      | 0.005   |                    |
| Ba                             | 2.25                                      | 2.22                                 | 1,40                                 | 1.957   | 0.48               |
| La                             | 0.032                                     | 0.029                                | 0.061                                | 0.041   | 0.02               |
| Ce                             | 0.078                                     | 0.069                                | 0.140                                | 0.096   | 0.04               |
| Pr                             | 0.011                                     | 0.010                                | 0.018                                | 0.013   | 0.00               |
| Nd                             | 0.054                                     | 0.051                                | 0.076                                | 0.060   | 0.01               |
| Sm                             | 0.018                                     | 0.018                                | 0.024                                | 0.020   | 0.00               |
| Eu                             | 0.003                                     | 0.003                                | 0.004                                | 0.004   | 0.00               |
| Gd                             | 0.024                                     | 0.020                                | 0.025                                | 0.023   | 0.00               |
| ть                             | 0.004                                     | 0.004                                | 0.005                                | 0.004   | 0.00               |
| Dy                             | 0.031                                     | 0.026                                | 0.029                                | 0.029   | 0.00               |
| Но                             | 0.007                                     | 0.006                                | 0.007                                | 0.007   | 0.00               |
| Er                             | 0.025                                     | 0.019                                | 0.022                                | 0.022   | 0.00               |
| Tm                             | 0.004                                     | 0.004                                | 0.005                                | 0.004   | 0.00               |
| Yb                             | 0.037                                     | 0.038                                | 0.033                                | 0.036   | 0.00               |
| Lu                             | 0.008                                     | 0.006                                | 0.007                                | 0.007   | 0.00               |
| Hf                             | 0.014                                     | 0.013                                | 0.020                                | 0.016   | 0.00               |
| Та                             | 0.002                                     | 0.002                                | 0.002                                | 0.002   | 0.00               |
| Pb                             | 0.067                                     | 0.066                                | 0.134                                | 0.089   | 0.04               |
|                                |   |                                      |                                      |         |                    |

Table 7 Major and trace element compositions of whole rock from NWA 4255

| Th        | 0.008 | 0.007 | 0.017 | 0.011 | 0.01 |
|-----------|-------|-------|-------|-------|------|
| U         | 0.007 | 0.006 | 0.008 | 0.007 | 0.00 |
| (La/Sm) n | 1.14  | 1.00  | 1.57  | 1,24  | 0.30 |
| (Gd/Lu) n | 0.431 | 0.461 | 0.534 | 0.475 | 0.05 |
| Eu/Eu*    | 0.429 | 0.507 | 0.462 | 0.466 | 0.04 |
| Ce/Ce*    | 1.01  | 0.97  | 1.02  | 1.00  | 0.03 |

The reference of normalization is the CI chondrite (Anders and Grevesse 1989). Eu/Eu\* = (Eu<sub>N</sub>/(Sm<sub>N</sub>\*Gd<sub>N</sub>)<sup>1/2</sup>. Ce/Ce\* = (Ce<sub>N</sub>/(La<sub>N</sub>\*Pr<sub>N</sub>)<sup>1/2</sup>)

#### 661 662

# 663

## 664 **Figures Captions**:

665 Fig. 1 a Two of many fragments of NWA 4255. b, c Optical microscope photomicrographs 666 observed in reflected light showing small vugs associated with strings of sulfides (Sulf) and 667 chromium spinels (Chr) are common in the orthopyroxene (Opx) groundmass. d Mosaic 668 backscattered electron (BSE) image of orthopyroxenitic lithology of studied sample, formed 669 by orthopyroxenes and chromites. e Backscattered electron image of brecciated zone of NWA 670 4255 displaying two different types of chromium spinel, one is subhedral exhibiting irregular 671 fractures and another is euhedral, and both are surrounded by an orthopyroxene breccia. f 672 Euhedral chromium spinel within large orthopyroxene

673

Fig. 2 Optical microscope photomicrographs observed in reflected light of anhedral chromites (Chr) associated with euhedral sulfide (Sulf) inclusions within orthopyroxene (Opx) in **a**, and

676 euhedral sulfide showing contact angle within orthopyroxene in **b** 

677

678 Fig. 3 Backscattered electron (BSE) images showing textures and grain sizes of minerals 679 found in the harzburgitic and transitional lithologies of NWA 4255. a Mosaic image of a 680 brecciated fragment with large grains of olivine and iron metal. b, c Magnesian orthopyroxene 681 associated with an iron metal (Fe met) inclusion in a large olivine grain (Ol). Note that the 682 contact between orthopyroxene and olivine grains is usually nonbrecciated. d BSE image of 683 olivine-rich zone showing a close-up view of the square area indicated in a. e, f BSE images; 684 showing some rounded olivine inclusions in orthopyroxene in e. Olivine and large iron metal 685 grains within less brecciated orthopyroxene. Orthopyroxene and tiny small iron metal grain 686 occur inmore brecciated areas in f

687

Fig. 4 Frequency histograms for orthopyroxene and olivine Fe no. [100 Å $\sim$  Fe/(Fe + Mg) in molar] in NWA 4255. Upper diagram: Two distinct populations of orthopyroxene are present.

690 Magnesian composition (harzburgitic Opx) ranges from 22.86 to 25.46 and the ferroan

- 691 composition (orthopyroxenitic Opx) ranges from 24.4 to 26.01. Lower diagram: olivine
  692 shows two distinct populations, with a narrow composition for the large crystals and a slightly
  693 larger variation for the small crystals
- 694
- Fig. 5 Positive correlation between the Sc and Ti in the harzburgitic orthopyroxenes, whereas
- orthopyroxene in the orthopyroxenitic lithology shows more restricted Ti variation
- 697

Fig. 6 Trace elements patterns for orthopyroxene from orthopyroxenitic and harzburgitic
lithologies of NWA 4255, normalized to Chondrites CI (Anders and Grevesse 1989)

- 700
- Fig. 7 Mg#. for silicates vs Cr no. for chromite shows a comparison between this study andother olivine diogenites (Irving et al. 2009)
- 703

Fig. 8 Ni versus Co diagram for olivine from NWA 4255. Compositions for NWA 4255 fall
on a linear trend distinct from any previously discussed in the literature. The literature data
used in this diagram are from: (1) Lunning et al. (2015); (2) (Shearer et al. 2010); (3) and (4)
(Hahn et al. 2018)

708

Fig. 9 Whole-rock trace elements (a) and REE (b) patterns normalized to Chondrites CI
(Anders and Grevesse 1989) for the NWA 4255 olivine diogenite. The abbreviations are
defined in Table 7

712

Fig. 10 Fe# for orthopyroxene vs. Fe no. for olivine from harzburgitic lithology of NWA
4255. The literature data used in this diagram are from (Beck and McSween 2010). The data
of this study falls almost exactly on the equilibrium line

- 716
- Fig. 11 Ni vs. Co for olivine, orthopyroxene, metal and the whole-rock analyses of NWA4255
- 719
- Fig. 12 Data for NWA 4255 plotted in olivine-anorthite-quartz pseudoternary of Stopler
  (1975), showing how olivine diogenite formation can take place at the peritectic
- 722

Fig. 13 Schematic representation illustrating the proposed model for the genesis of the NWA
4255, starting from the differentiation and crystallization of a magma ocean. The schematic

- cross-section of a differentiated asteroid is based on that of Greenwood et al. (2015), using the
  thicknesses of the various layers as given by a range of modeling studies of (Ruzicka et al.
  1997; Righter and Drake 1997; Mandler and Elkins- Tanton 2013; Toplis et al. 2013). (See
  text for more details)
- 729
- 730
- 731 Fig.1



734 Fig.2





736

737 Fig.3



740 Fig.4:















