

Pilot-scale assessment of the viability of UVA radiation for H2O2 or S2O82– activation in advanced oxidation processes

Anaëlle Gabet, Christine de Brauer, Gilles Mailhot, Marcello Brigante, Hélène Métivier

▶ To cite this version:

Anaëlle Gabet, Christine de Brauer, Gilles Mailhot, Marcello Brigante, Hélène Métivier. Pilot-scale assessment of the viability of UVA radiation for H2O2 or S2O82– activation in advanced oxidation processes. Journal of Water Process Engineering, 2023, 56, pp.104328. 10.1016/j.j. jwpe.2023.104328 . hal-04283686

HAL Id: hal-04283686 https://uca.hal.science/hal-04283686

Submitted on 19 Nov 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Pilot-scale assessment of the viability of UVA radiation for H_2O_2 or $S_2O_8^{\ 2-}$

2 activation in advanced oxidation processes

- 3 Anaëlle Gabet^{1,2}, Christine de Brauer¹, Gilles Mailhot², Marcello Brigante², Hélène
- 4 Métivier^{1,*1}

- 6 ¹ Univ Lyon, INSA Lyon, DEEP, EA7429, 69621 Villeurbanne, France
- 7 ² Université Clermont Auvergne, CNRS, Clermont Auvergne INP, Institut de Chimie de
- 8 Clermont-Ferrand, F-63000 Clermont-Ferrand, France

Abstract

UVA and UVC radiation were compared for the activation of H₂O₂ or S₂O₈²⁻ to remove micropollutants remaining in treated wastewater with a view to optimising the cost and/or the efficiency of the commonly studied UVC/H₂O₂ process. Experiments were carried out in a dynamic laboratory pilot (20 L). In a simple matrix, UVA radiation were able to produce oxydative radicals from H₂O₂ or S₂O₈²⁻, although faster degradation of the estrogens was observed under UVC radiation (up to 55-fold). With both UV radiation, S₂O₈²⁻ was photolyzed faster than H₂O₂, resulting in faster estrogen degradation (up to 12-fold). Coupling UVA to H₂O₂ was considered not to be viable because less than 4% of the compounds were degraded at 1000 mJ cm⁻². In a treated wastewater, estrogen degradations were inhibited due to organic matter and stronger inhibitions were observed with S₂O₈²⁻ processes (up to 80% inhibition compared to simple matrix). The UVC/S₂O₈²⁻-process still achieved the fastest degradation rate, but is roughly comparable to the UVC/H₂O₂-process. Very low degradation rates obtained with UVA/S₂O₈²⁻ limit the interest in the process. Experiments were also carried out on a mixture of pharmaceuticals leading to similar conclusions.

^{*} corresponding author. Tel:+33-472-436-288. E-mail: helene.metivier@insa-lyon.fr

Keywords: AOPs, micropollutants, photolysis, pilot scale, UVA radiation, wastewater.

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

1. Introduction

Water scarcity is about to be one of the major challenges of the next decades. The European Union Water Framework Directive adopted in 2000 aims at protecting the quality and the quantity of water bodies in the European Union. Although significant improvements were observed within the last decades regarding the quality of water bodies, the presence of anthropogenic micropollutants in surface and ground waters is increasingly reported. Wastewater treatment plants (WWTPs), whether they are conventional or wetlands, are one of the major gateways of micropollutants to the environment because a large panel of compounds is refractory to the treatments that are commonly used. As a consequence, effluents are released to the environment with micropollutants at concentrations up to several tens of µg L⁻¹ [1, 2, 3]. Improving the removal of micropollutants in WWTPs by the use of appropriate treatments would allow the discharge of water of better quality. Moreover, it could promote effluent reuse for crop fields irrigation or industrial use for example and decrease the pressure on aquatic environments. In France, more than 90% of the WWTPs are small and medium-sized (< 10,000 population equivalent) and around 40% are equipped by nature-based processes such as constructed wetlands (CWs) [4]. These plants have different human and technical resources and therefore different needs compared to large-scale urban WWTPs. They require cheap, reliable and lowmaintenance processes. Among the existing treatments for micropollutants, photoactivated advanced oxidation processes (AOPs) seem to meet these criteria. They consist in the generation of highly oxidising species such as HO $\dot{}$ ($E^0_{HO^-/HO^-} = 2.80$ V/SHE at 25 $^{\circ}$ C) by the photolysis of an oxidant precursor (typically H₂O₂). The abilities of the UVC/H₂O₂ process

have been widely reported. Cédat et al. [5] observed the complete degradation of a mixture of three estrogens (5 µM each spiked in a WWTP effluent) and of their estrogenic activity and estimated the cost of the technology to be under 0.20 € m⁻³. However, UVC radiation is generally produced by mercury lamps which are quite energy consuming. In the UVC/H₂O₂ process, Cédat et al. [5] estimated that electricity would represent from 14 to 38% of the total treatment cost. Moreover, H₂O₂ supply is another significant expenditure item since it was estimated to represent from 47 to 62% of the total cost. With a view to optimising the efficiency/cost ratio of the AOP, alternatives to the UVC/H₂O₂

treatment were presented in the literature. For example, the abilities of $S_2O_8^{2-}$ as an oxidant precursor to generate two sulfate radicals (SO_4^{-}) ($E_{SO_4^{-}/SO_4^{2-}}^0 = 2.5 - 3.1 \text{ V/SHE}$ at 25 °C, depending on the solution pH) by photolysis have been widely shown [6, 7, 8].

Then, another alternative is the use of solar light as a UV source. Incident solar radiation on earth is a free and renewable energy, composed of 95% of UVA and 5% of UVB and it was previously reported in the literature that UVA radiation is able to photolyse H₂O₂ and S₂O₈²⁻ [9, 10]. Fernandes et al. [11] also recently demonstrated that natural solar radiation is efficient in activating these oxidant precursors. Kowalska et al. [12] and Moreira et al. [10] observed complete degradation of carbamazepine and diclofenac in spiked effluents under solar radiation coupled to H₂O₂. Finally, Rizzo et al. [13] and Velo-Gala et al. [14] both compared the efficiency of a solar simulator to UVC radiation for the activation of H₂O₂ in order to degrade antibiotics in small volumes (0.5 and 6 L respectively). In both studies, the lower efficiency of solar light compared to UVC radiation was concluded. However, the reported degradation rates were time-dependent and no comparison of the energy required (UV fluence) in each process was made.

Since UVA radiation constitute the majority of solar UV, it seems essential to evaluate their abilities for the activation of oxidant precursors in AOPs. To the best of our knowledge, no

previous study has compared UVA to UVC radiation for the photo-activation of H_2O_2 and $S_2O_8^{2-}$.

In the present work, an intermediate-scale laboratory pilot (maximum capacity of 50 L) was used to compare UVA to UVC radiation for the activation of H₂O₂ or S₂O₈². H₂O₂ was chosen for its ease of implementation and the large number of studies identified in the literature. $S_2O_8^{2-}$ was studied for its high efficiency with the aim of assessing whether its use could balance the expected loss of efficiency when replacing UVC by UVA radiation. For technical reasons, mercury lamps were used for the production of both types of radiation, allowing UV fluence calculation and comparison. Three estrogens, namely estrone (E1), 17β-estradiol (E2) and 17α-ethinylestradiol (EE2), were first chosen as model pollutants for process efficiency assessment. According to Ilyas and van Hullebusch [15], they are removed from 30 to 80% in constructed wetlands, due to biodegradation, plant uptake and adsorption, leading to concentrations from ng L-1 to several µg L-1 in the released effluent. Similar degradation rates are also achieved in conventional WWTPs [16, 17]. Nevertheless, their occurrence in surface waters and river sediments as well as their ecotoxicity at environmental concentrations have been widely reported [18]. Finally, a mixture of ibuprofen, (IBU), naproxen (NAP) and diclofenac (DCF), three commonly detected non-steroidal antiinflammatory drugs, allowed to confirm the results on another type of micropollutants.

2. Materials and methods

2.1. Chemicals and reagents

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

Estrone (E1), 17β-estradiol (E2), 17α-ethinylestradiol (EE2), ibuprofen (IBU) sodium salt, diclofenac (DCF) sodium salt and naproxen (NAP) were purchased from Sigma-Aldrich, as well as H₂O₂ (30% in water) and Na₂S₂O₈. Persulfate stock solutions were prepared in drinking water (1 M). E1, E2, EE2 and NAP stock solutions were prepared at 5 mM in acetonitrile. IBU and DCF stock solutions were made at 10 mM in drinking water.

Acetonitrile (ACN) was supplied by VWR Chemicals (HPLC grade). Ultrapure water was obtained from a milli-Q system. Formic acid was purchased from Chimie-plus Laboratoires.

2.2. Irradiation experiments

2.2.1. Description of the laboratory pilot

The experimental set-up has previously been described in the literature (Cédat et al., 2016) and is reproduced Figure 1. It is composed of a 50-L glass tank linked to a 1.12-L UV reactor (COMAP) by a centrifugal pump. In the reactor, the UV lamp is protected by a quartz tube and the effluent flows through a 1-cm layer around the tube. Effluent recirculation allows to increase the contact time between the targets and the lamp and thus the UV fluence. Low pressure mercury lamps (Philips) were used for the generation of UVC and UVA radiation. The UVC lamp was monochromatic while the UVA lamp was polychromatic and emits from 345 to 410 nm with a maximum at 365 nm (Figure SM1). Their technical features are presented in Table 1.




Figure 1. Schematic diagram of the pilot used, reproduced from Cédat *et al.*, 2016. 1) Glass tank; 2) pump; 3) flow meter; 4) and 6) sampling points; 5) UV reactor; 7) UV intensity control; 8) temperature control.

Table 1. Technical characteristics of UVA and UVC lamps.

UV type	Lamp power (W)	Power efficiency	Wavelength (nm)	Length (cm)	Hg (mg)
UVC	54	32%	254	60.0	8.0
UVA	36	24%	345 – 410	89.5	2.0

The UVCalc®2A software (Bolton Photosciences Inc., Canada) was used for UV fluence calculations. On the advice of the software designer and given its narrow emission spectra, the UVA lamp was considered monochromatic. After calculation, a correction factor of 0.88 for UVC radiation [5] and 0.82 for UVA radiation (software designer recommendations) was applied.

2.2.2. Matrix composition

Main physico-chemical parameters of the matrices used to investigate the degradation of micropollutants are presented in Table 2. Drinking water collected directly to tap (Villeurbanne, France) was first used as a simple matrix. Then, WWTP effluents were collected in 30-L plastic containers at the outlet of a conventional WWTP equipped by an activated sludge treatment (Feyssine, Villeurbanne, France) with a capacity of 300,000 population equivalent. Samples were collected in the morning and used within 30 hours.

Table 2. Main physico-chemical parameters of drinking water and WWTP effluents.

	Drinking water	WWTP	WWTP
		effluent 1	effluent 2
pH	7.7	7.8	7.9
UV _{254nm} transmittance	98%	62%	61%
UV _{365nm} transmittance	> 99%	90%	87%
Conductivity (µS cm ⁻¹)	395	913	912
Suspended solids (mg L ⁻¹)	-	4	4
Chemical Oxygen Demand (COD) (mg L ⁻¹)	< 5	29	26
Total Organic Carbon (TOC) (mg _C L ⁻¹)	-	7.5	5.8
Cl ⁻ (mg L ⁻¹)	10	107	98
NO ₃ (mg L ⁻¹)	5.1	21.2	24.6
HCO ₃ - (mg L ⁻¹)	220	208	252

2.2.3. Experimental procedures

The laboratory pilot was used to determine the photolysis constants of the oxidant precursors, the photolysis first order rate constants of the estrogens and the overall pseudo-first order degradation rate constant of the estrogens or of the pharmaceuticals obtained through the experiments. Experimental procedures were quite similar and operating conditions are

summarized in Table 3. The experimental set-up was filled in to 20 ± 0.5 L with the matrix. Then, recirculation flow was set at 20 ± 0.5 L min⁻¹, the UV lamp was pre-heated during 10 minutes and the temperature was adjusted and stabilised at 22 ± 2 °C. After pre-heating, the lamp was turned off and the solution was spiked with 3 estrogens or 3 pharmaceuticals at 5 μ M each (except for the experiments regarding oxidant precursor photolysis). Although this concentration is higher than those in WWTP effluents, it does not require pre-concentration prior to ultra high-performance liquid chromatography (UHPLC) analysis and therefore allows the sampling of small volumes, suitable for kinetic experiments. Then, an appropriate volume of oxidant precursor was added: 10.3 mL of H_2O_2 (30%) or 100 mL of a 1 M $S_2O_8^{2^-}$ stock solution were added to reach a concentration of 5 mM; 2.06 mL of H_2O_2 (30%) and 20 mL of $S_2O_8^{2^-}$ 1 M were added to reach a concentration of 1 mM. No oxidant precursor was added for estrogen photolysis experiments. For oxidant precursor photolysis only, 100 mL of methanol (0.5% v/v) were also added: methanol quenches the newly formed hydroxyl or sulfate radicals to prevent them from reacting in turn with H_2O_2 or $S_2O_8^{2^-}$.

After addition of the reagents, the solution was homogenised for 2 minutes and the lamp was turned on to start the experiment. 5 mL were withdrawn before the start and at the end of each experiment to measure the transmittance of the solution by UV-visible spectrophotometry. During estrogen photolysis and AOP experiments, 1 mL of sample was withdrawn at fixed time intervals for micropollutant quantification by UHPLC. During H_2O_2 or $S_2O_8^{2-}$ photolysis experiments, the volume of samples was extended to 5 mL to determine their concentrations using a UV-visible spectrophotometer.

In any case, variations between the initial and the final volume were under 0.25% during experiments.

163

170

171

172

173

174

175

176

	Photolysis e	xperiments	UV-based AOP experiments		
	Oxidant precursors	Estrogens Estrogens		Pharmaceuticals	
Total volume		20 =	± 0.5 L		
Recirculation flow rate		20 ± 0	.5 L min ⁻¹		
Solution	Drinking water	Drinking water	Drinking water or WWTP1	WWTP2	
Micropollutants	None	E1 + E2 + EE2 5 μM each	E1 + E2 + EE2 5 μM each	IBU + NAP + DCF 5 μM each	
Oxidant precursor	H_2O_2 or $S_2O_8^{2-}$ 5 mM	None	H_2O_2 or $S_2O_8^{2-}$ 1 mM	H_2O_2 or $S_2O_8^{2-}$ 1 mM	
Methanol	0.5% V/V	None	None	None	

161 2.3. Sample analysis

2.3.1. UV-visible spectrophotometry

- A Shimadzu 2450 UV-visible spectrophotometer was used to:
- measure transmittances at 254 nm and 365 nm (required for UV fluence calculation),
- acquire the UV-visible spectra of the micropollutants and of the oxidant precursors,
- quantify H_2O_2 and $S_2O_8^{2-}$ during photolysis constant determination, using measurements carried out at 240 nm ($E_{240nm} = 38.1 \text{ L mol}^{-1} \text{ cm}^{-1}$) and 230 nm ($E_{230nm} = 38.6 \text{ L}$ mol $^{-1}$ cm $^{-1}$) for H_2O_2 and $S_2O_8^{2-}$ respectively.

169 *2.3.2. Micropollutant quantification*

Samples were filtered before analysis through 0.45 μ m PVDF filters (Millex HV). Analysis were performed with an UHPLC ultimate 3000+ (Thermo Fischer) system equipped with a X-Bridge BEH column (75 \times 4.6 mm \times 2.5 μ m) and coupled to a diode array detector. The mobile phase was a mixture of acetonitrile (ACN) and milli-Q water both acidified with 0.1% formic acid running in isocratic mode at 1.5 mL min⁻¹. One method was used to analyse the estrogens and another to analyse the mixture of pharmaceuticals. They are both described in Table 4. Limits of detection (LOD) were determined by calculation and limits of

quantification were calculated as 3.3 × LOD. All the samples were analysed in duplicate.

Examples of typical chromatograms are available in Figure SM2.

Table 4. UHPLC method parameters for micropollutant quantification.

UHPLC method	Estrogen method		Pharmaceutical method				
Pollutant	E1	E2	EE2	IBU	NAP	DCF	
Mobile phase ACN/H ₂ O	50/50			60/40			
Injection volume (µL)	40			20			
Column temperature (°C)		40		40			
Detection wavelength (nm)		280		226	226	281	
Retention times (min)	1.91	1.44	1.71	2.02	1.17	1.76	
Limit of detection (µM)	0.28	0.25	0.26	0.12	0.10	0.09	

2.4. Data processing

2.4.1. UV fluence

UV fluence $(F, \text{ mJ cm}^{-2})$ corresponds to the total radiant energy incident from all directions onto an infinitesimally small sphere of cross-sectional area dA, divided by dA according to Bolton and Stefan [19]. In the studied system, the infinitesimally small sphere of cross-sectional area can be considered to be the targeted micropollutants or the oxidant precursors. UV fluence is based on the characteristics of the lamp but also on the structure of the system and on the transmittance of the effluent. Thus, it allows to compare different lamps, processes or effluents. In the present study, UV fluence was used as a reference unit for degradation rates.

2.4.2. Degradation rate constants

Photolysis of the estrogens and of the oxidant precursors followed first order rates that were fitted by the following equation: $\ln \frac{c}{c_0} = -k'_p F$, where C_0 and C are respectively the initial concentration and the concentration at UV fluence F of the compound of interest (μ M) and k'_p the photolysis first order rate constant (cm² mJ⁻¹) which depends on the UV fluence received by the effluent.

In AOPs, micropollutant degradation followed pseudo-first order rates. Targets can be degraded by both photolysis and oxidation by the free radicals. In the present study, the

radicals are HO or SO_4 , generated by the homolytic cleavage of H_2O_2 or $S_2O_8^{2-}$ respectively (each of them generates two identical radicals). The two modes of degradation can be

distinguished in the following pseudo-first order rate equation, as proposed by Sharpless et

201 Linden [20]:

200

203

204

205

206

209

212

216

217

218

221

202 $\ln \frac{c}{c_0} = -(k'_p + k'_{ox})F = -k' F$, where k'_{ox} is the pseudo-first order rate constant of

radical-based oxidation and k' is the overall pseudo-first order rate constant. k'_{ox} depends on

both the steady-state concentration of the radical and on the second order reaction rate

between the oxidative radical and the compound of interest [21]. In the present study, k'

values were determined from UV-based AOP experiments and k'_{ox} values were calculated as

207 the difference between k' and k'_p .

The error bars associated to degradation constants equal to 3σ , derived from the scattering of

the experimental data around the fit curves (intra-series variability).

2.4.3. Electrical energy per order

The Electrical Energy per Order (E_{EO}) is the electrical energy (kWh) necessary to reduce the

concentration of a contaminant by one order of magnitude in one m³ of effluent [22] (Bolton

213 et al., 2001). It is often calculated according to the following equation [23, 24]: $E_{EO} =$

214 $\frac{P \cdot t \cdot 1000}{V \cdot \log\left(\frac{c_i}{c_f}\right)}$, where *P* is the lamp power (kW), *t* is the time of irradiation (h), V is the volume of

treated effluent (L), C_i and C_f are the initial and final concentrations of the target molecule

(expressed in µmol L-1 in this paper). This quantity is a useful indicator for comparing

photoactivated processes. It is generally considered that a photoactivated process may be

economically feasible if its E_{EO} value is less than 10 kWh m⁻³ order⁻¹ [25].

Experimental data used to calculate E_{EO} can be seen in Table SM1, only E_{EO} values are

presented in the Results and discussion section.

3. Results and discussion

223 The molar absorption coefficient (\mathcal{E}_{λ}) and the quantum yield (Φ_{λ}) are the two parameters that account for the photolysis efficiency of a compound. The molar absorption coefficient 224 225 governs the absorption of a photon by the molecule at the wavelength of interest and the 226 photolysis quantum yield (number of photolysed molecules divided by the number of photons absorbed) depends on the photochemical change that follows photon absorption [26]. Thus, 227 228 the photolysis quantum yield influences the quantum yield for the generation of photolysis by-229 products. In the present paper, the modelling of degradation kinetics is not based on these two 230 parameters, but they are used to comment qualitatively on the degradation constants 231 calculated from experimental data. Molar absorption coefficients of H₂O₂ and S₂O₈²⁻ and of the targeted estrogens (E1, E2 and 232 233 EE2) within the UV range are depicted in Figure 2. Molar absorption coefficients at the wavelengths of interest and quantum yields for the production of HO and SO₄. (from H₂O₂) 234 and S₂O₈²- photolysis, respectively) found in the literature are reported in Table 5. No 235 236 quantum yield values for the production of both radicals at 365 nm (maximum emission 237 wavelength of the UVA lamp) were found in the literature, so the values reported in Table 5 238 correspond to the wavelength found closest to 365 nm, i.e. 351 nm. As shown by Hermann 239 (2007), quantum yield decreases with increasing the wavelength of the photolysis light. This 240 decrease is barely noticeable in the case of HO formation with quantum yield values from 1.0 241 to 0.96 when wavelength varies from 254 to 351 nm while it is much more significant in the case of SO₄ formation with quantum yield values from 1.4 to 0.5 in the same range of 242 wavelength. It can therefore be assumed that $\Phi_{365\text{nm}}(\text{HO'}) \simeq \Phi_{351\text{nm}}(\text{HO'})$ while $\Phi_{365\text{nm}}(\text{SO}_4^{-})$ 243 $<\Phi_{351\text{nm}}(SO_4^{-})$ so that the ratio $\Phi_{365\text{nm}}(HO^{-})/\Phi_{365\text{nm}}(SO_4^{-})$ can be considered greater than 1.9 244 245 for the comparison of quantum yields for the two radicals under UVA. Under UVC, the ratio 246 $\Phi_{254nm}(HO')/\Phi_{254nm}(SO_4')$ equals 0.8.




Figure 2. Molar absorption coefficients (£) of E1, E2 and EE2 and of H₂O₂ and S₂O₈²⁻ in the UV range at circumneutral pH.

Table 5. Molar absorption coefficients (\mathcal{E}) of estrogens and oxidant precursors and quantum yields for radical production (Φ) from the photolysis of oxidant precursors under UVC and UVA.

	$\mathcal{E}(M^{-1} \text{ cm}^{-1})$				E (M ⁻¹ cm ⁻¹)					Φ (mol e	ein ⁻¹)
	H_2O_2	$S_2O_8^{2-}$	E1	E2	EE2		HO.	SO ₄ .			
UVA	< 0.3	< 0.5	< 10	< 10	< 10	UVA	$0.96 \pm 0.04^{[27]}$	$0.5 \pm 0.1^{[27]}$			
(365 nm)						(351 nm)					
UVC	15.4	21.3	261	175	175	UVC	$1.15 \pm 0.05^{[28]}$	$1.4 \pm 0.1^{[29]}$			
(254 nm)						(254 nm)					

3.1.2. Photolysis rate constants of the oxidant precursors

As seen in Figure 2, molar absorption coefficients follow the same trend in the UV range for both H_2O_2 and $S_2O_8^{2-}$: they are not significant between 400 and 350 nm and increase exponentially from 350 to 200 nm. According to Table 5, both oxidant precursors allow higher quantum yields for the production of free radicals under UVC than under UVA radiation. Therefore, although it was reported in the literature that UVA radiation is efficient

for their activation [9, 30], faster photolysis is expected under UVC radiation for both molecules.

At 254 nm, the molar absorption coefficient of $S_2O_8^{2-}$ is 1.4 times higher than that of H_2O_2 and the quantum yield for the production of SO_4^{-} is 1.2 times higher than that of HO (Table 5). Therefore, faster production of SO_4^{-} is expected. At 365 nm, a higher quantum yield for the production of HO is expected compared to SO_4^{-} , as suggested by values reported in the literature at 351 nm. However, molar absorption coefficients were too low to be determined, not allowing for the assessment of photolysis outcomes.

Photolysis first order rate constants of H_2O_2 and $S_2O_8^{2-}$ in the experimental facility are reported in Table 6. As expected, they are higher under UVC than under UVA radiation (3.5 and 8.8 times for H_2O_2 and $S_2O_8^{2-}$ respectively), causing faster generation of the subsequent free radicals under UVC radiation. The photolysis of $S_2O_8^{2-}$ is about 1.2 and 3.4 times faster than that of H_2O_2 , under UVA and UVC radiation respectively. Therefore, the generation of SO_4^{-} is expected to be faster than that of HO regardless of the wavelength.

Table 6. Photolysis first order rate constants (k'_n) of H_2O_2 and $S_2O_8^{2-}$ in the system.

	$k'_p \text{ (cm}^2 \text{ mJ}^{-1})$					
	H_2O_2	$\mathrm{S_2O_8}^{2 ext{-}}$				
UVA	$4.36 \pm 0.30 \times 10^{-5}$	$5.25 \pm 0.51 \times 10^{-5}$				
UVC	$1.54 \pm 0.02 \times 10^{-4}$	$4.61 \pm 0.26 \times 10^{-4}$				

3.1.3. Photolysis of the estrogens

According to Figure 2, E1, E2 and EE2 molar absorption coefficients are very similar at all wavelengths. They have a similar absorption band from 300 to 250 nm and molar absorption coefficients increase exponentially in a similar way from 250 to 200 nm. However, at 254 nm, E is 1.5 times higher for E1 than for E2 and EE2. Moreover, according to Huang et al. [31], E1 has a 3 to 4 time higher quantum yield than E2 and EE2 at 254 nm. Therefore, faster photolysis of E1 is expected compared to that of E2 and EE2 at this wavelength. At 365 nm,

molar absorption coefficients are not significant for the three estrogens and to the best of our knowledge, their quantum yields at this wavelength were not reported in the literature.

Table 7 depicts the first order rate constants of E1, E2 and EE2 in the pilot (experimental data in the form of C/C₀ curves can be seen in Figure SM3 and Figure SM4 for UVA and UVC respectively). First of all, the estrogens were photolysed under UVA radiation despite very low molar absorption coefficients. Constants are of the same order of magnitude for the three estrogens, ranging from 8.4×10^{-6} to 1.9×10^{-5} cm² mJ⁻¹ for E1 and EE2 respectively. They reflect very slow photolysis and less than 2% of the initial concentrations are degraded at 1000 mJ.cm², the maximum relevant UV fluence in AOPs [32], corresponding to 41 min in the pilot. Then, higher photolysis rates of the three estrogens were observed under UVC radiation. E2 and EE2 photolysis are 3 to 4 times faster and that of E1 is 113 times faster. As seen previously, faster photolysis of E1 under UVC radiation was expected given its higher ϵ_{254nm} and ϵ_{254nm} values. Nevertheless, the photolysis remains slow under UVC radiation with only 3 to 4% degradation for E2 and EE2 at 1000 mJ cm², whereas E1 was degraded by 62%. If photolysis may take part in the global degradation of estrogens during AOPs, UV irradiation cannot be considered as an effective treatment, whether it is under UVA or UVC radiation.

Table 7. Photolysis of E1, E2 and EE2 in the system: k'_p and E_{EO} values.

		E1	E2	EE2
k'_p	UVA	$8.4 \pm 3.0 \times 10^{-6}$	$1.2 \pm 0.2 \times 10^{-5}$	$1.9 \pm 0.1 \times 10^{-5}$
$(cm^2 mJ^{-1})$	UVC	$9.6 \pm 0.5 \times 10^{-4}$	$4.8 \pm 0.3 \times 10^{-5}$	$6.4 \pm 0.2 \times 10^{-5}$
E_{EO}	UVA	424.8	223.5	145.9
(kWh m ⁻³ order ⁻¹)	UVC	2.1	47.1	31.8

These considerations are confirmed by the values of E_{EO} reported in Table 7: with UVA, it takes between one hundred and four hundred kWh to reduce the concentration of each estrogen in a m³ of drinking water by an order of magnitude, which far exceeds the energy

consumption compatible with economic feasibility. With UVC, lower E_{EO} values are obtained, of the order of several tens for E2 and EE2, which remains higher than the threshold value of 10 kWh m⁻³ order⁻¹, even if photolysis alone could be economically viable for E1 hormone degradation.

3.2. Estrogen degradation in drinking water in various AOPs

Pseudo-first order rate constants (k') of the estrogens in drinking water were calculated from experimental data (available as C/C₀ curves in Figure SM3 and Figure SM4 for UVA and UVC respectively) and are shown Table 8 as well as associated oxidation constants k'_{ox} calculated as the difference between k' and k'_p (reported in Table 7). The contribution of oxidation to the global degradation of the targets ($\%_{ox}$) was also calculated and is presented in Table 8, the complement to 100 corresponding to the contribution of photolysis.

Table 8. Pseudo-first order degradation constants (k') of E1, E2 and EE2 in the different processes with the associated oxidation constants (k'_{ox}) and their degradation rates at 1000 mj.cm⁻².

Radiation	Oxidant		Rate constar	nts (cm ² mJ ⁻¹)		Degradation
		Estrogen	k'	1,'	04	at 1000 mJ cm ⁻²
type	precursor		κ	k'_{ox}	% _{ox}	(%)
		E1	2.2×10^{-5}	1.4×10^{-5}	64	2.2
	H_2O_2	E2	3.3×10^{-5}	2.0×10^{-5}	61	3.2
UVA		EE2	3.5×10^{-5}	1.6×10^{-5}	46	3.4
O VII	S ₂ O ₈ ²⁻	E1	2.1×10^{-4}	2.1×10^{-4}	100	19
		E2	2.8×10^{-4}	2.7×10^{-4}	96	24
		EE2	3.0×10^{-4}	2.8×10^{-4}	93	26
		E1	1.7×10^{-3}	7.2×10^{-4}	42	81
	H_2O_2	E2	9.4×10^{-4}	8.9×10^{-4}	95	61
UVC		EE2	9.5×10^{-4}	8.9×10^{-4}	94	61
0 V C		E1	1.1×10^{-2}	1.0×10^{-2}	91	100
	$S_2O_8^{2-}$	E2	1.1×10^{-2}	1.1×10^{-2}	100	100
		EE2	1.1×10^{-2}	1.1×10^{-2}	100	100

- Firstly, as expected, UVC radiation allows for 30 to 80% faster degradation, depending on the
- 318 oxidant precursor and on the estrogen. k' ranges from 2.2 \pm 0.2 \times 10⁻⁵ to
- $3.0 \pm 0.2 \times 10^{-4} \text{ cm}^2 \text{ mJ}^{-1} \text{ under UVA and from } 9.4 \pm 0.4 \times 10^{-4} \text{ to } 1.1 \pm 0.1 \times 10^{-3} \text{ cm}^2 \text{ mJ}^{-1}$
- 320 under UVC radiation. Under UVA radiation, k' are ranked as follows regardless of the
- oxidant precursor: E1 < E2 < EE2. On the other hand, under UVC radiation, k' are similar in
- 322 the presence of $S_2O_8^{2-}$ whereas it is almost twice as high for E1 than for E2 and EE2 in the
- 323 presence of H_2O_2 .
- When comparing the oxidant precursors, k' are 7 to 12 times higher with $S_2O_8^{2-}$ than with
- 325 H₂O₂ regardless of the UV type for E2 and EE2 and under UVA only for E1. Under UVC
- radiation, k'_{E1} is only about 5 times faster with $S_2O_8^{2-}$ than with H_2O_2 .
- 327 In the UVA/H₂O₂ process, k' goes from $2.2 \pm 0.2 \times 10^{-5}$ to $3.5 \pm 0.3 \times 10^{-5}$ cm² mJ⁻¹ with 46
- 328 to 64% of the degradation achieved by oxidation. These close results are attributed to similar
- 329 photolysis constants of the estrogens (Table 7) and similar second order rate constants (from
- 330 1.8 to $2.9 \times 10^{10} \text{ M}^{-1} \text{ s}^{-1}$) between HO and the estrogens [9]. When using $S_2O_8^{2-}$, k' values
- 331 increase by $89 \pm 1\%$ and are similar between the estrogens, ranging from 2.1 to
- 3.0×10^{-4} cm² mJ⁻¹, due to close second order rate constants (from 1.8 to 4.1×10^{9} M⁻¹ s⁻¹)
- between SO_4 and the estrogens [9]. This increase is attributed to higher k'_{ox} thanks to faster
- 334 photolysis of $S_2O_8^{2-}$ compared to H_2O_2 (× 1.2) (see Table 6). As a consequence, the
- contribution of oxidation increases, being equal to or greater than 93%.
- 336 Under UVC radiation, the degradation of the estrogens is accelerated. In the presence of
- H_2O_2 , k' are from 27 to 77 times higher than those obtained under UVA. In addition to faster
- estrogen photolysis, H₂O₂ photolysis is 3.5 times faster under UVC than under UVA (Table
- 339 7). k'_{E2} and k'_{EE2} are similar with a contribution of oxidation reaching 95 and 94%
- respectively. However, k'_{E1} is almost twice as high as k'_{E2} and k'_{EE2} . It is observed that k'_{OX} are

of the same order of magnitude for the three estrogens, from 7.2 to $8.9 \times 10^{-4} \, \text{cm}^2 \, \text{mJ}^{-1}$. Therefore, faster degradation of E1 is attributed to its high photosensitivity under UVC radiation. Similar trends are observed with the use of $S_2O_8^{2-}$: k' are from 39 to 52 times higher under UVC radiation due to faster oxidation. For E2 and EE2, the increase in k_{ox}^{\prime} is so high that k_p' becomes negligible. Regarding E1, k_p' remains noticeable (about 10% of total degradation). However, a lower k'_{ox} leads to similar k' than that of E2 and EE2. Finally, oxidation plays a major role in E2 and EE2 degradation under UVC regardless of the oxidant precursor whereas the predominant phenomenon in the degradation of E1 varies depending on the oxidant precursor. Estrogen degradation rates at 1000 mJ cm⁻² are reported in Table 8. With UVC/S₂O₈²⁻, the three estrogens are fully degraded. On the other hand, the UVA/H₂O₂ process provides less than 4% degradation at 1000 mJ cm⁻² and does not seem viable. As a consequence, it was not studied in the following parts of the work. Contrasted results are observed with UVA/S₂O₈²-(19 to 26% degradation) and UVC/H₂O₂ (61 to 81% degradation). With the aim of promoting the use of UVA rather than UVC radiation in photoactivated AOPs, coupling UVA radiation to S₂O₈² could be relevant since it induces encouraging results compared to the UVC/H₂O₂ process. The values of E_{EO} calculated for estrogens degradation in drinking water shown in Table 9 lead to the same conclusions. Using UVC whatever the free radical precursor seems to be economically feasible with E_{EO} values between 0 and 2 kWh m⁻³ order⁻¹. So it seems worthwhile to study the UVC-based AOPs with a complex matrix such as WWTP effluent, even if these conditions may be less favorable. With the UVA/S₂O₈²⁻ process, E_{EO} values are a little bit higher, in the upper range of acceptable values. It is therefore important to determine whether the switch to real matrix leads to a significant increase in E_{EO} values or not. Finally,

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

 E_{EO} values obtained with the UVA/H₂O₂ process are around hundred for the three estrogens in drinking water, so there is no point in going any further with this process.

Table 9. Values of E_{EO} for estrogens degradation by photooxidation in different matrices.

Radiation	Oxidant	Estrogon	(kWh m	EO 1 ⁻³ order ⁻¹)	Ratio
type	precursor	Estrogen	Drinking	WWTP	$\frac{E_{EO}(DW)}{E_{EO}(WWTP)}$
			water	effluent	$E_{EO}(WWIF)$
		E1	126.6	-	-
	H_2O_2	E2	81.3	-	-
UVA		EE2	84.4	-	-
UVA	$S_2O_8^{2-}$	E1	10.3	59.8	5.8
		E2	7.6	55.1	7.2
		EE2	7.3	49.4	6.7
		E1	1.3	2.1	1.6
	H_2O_2	E2	2.2	3.5	1.6
UVC		EE2	2.1	3.2	1.5
0 0 0		E1	0.2	0.9	5.0
	$S_2O_8^{2-}$	E2	0.1	0.9	7.7
		EE2	0.1	0.9	7.1

3.3. Process comparison in a WWTP effluent

After the study of UV-based AOPs in a simple matrix, it is necessary to implement them in a real matrix. Real effluents may indeed contain species that absorb UV radiations, react with radical precursors and/or with free radicals, leading to poorer performance of the process. Furthermore, it has been shown that photolysis and oxidation are compound dependent. Thus, it seems interesting to assess the degradation of another kind of micropollutants. This part, dedicated to the degradation of micropollutants in spiked WWTP effluents, firstly focuses on the estrogens and then on a mixture of three pharmaceuticals.

3.3.1. Estrogen degradation

WWTP effluent 1 collected at the outlet of a conventional treatment plant (see Table 2 for more details) and spiked with the three estrogens was used to assess the performance of the $UVA/S_2O_8^{2-}$, UVC/H_2O_2 and $UVC/S_2O_8^{2-}$ processes (see Table 3 for operating conditions).

383 those measured in drinking water in Figure 3 (data is available in Table SM2, experimental 384 data is available as C/C_0 curves in Figure SM5). 385 First of all, estrogen degradation rates in WWTP effluent follow the same behaviours as described previously in drinking water: S₂O₈²⁻ induces faster degradation than H₂O₂ and UVC 386 is more efficient than UVA radiation (with S₂O₈² only since UVA/H₂O₂ was not 387 implemented). However, k' are lower in the WWTP effluent than in drinking water. Inhibition 388 389 percentages are presented in Figure 3. They were calculated by comparing the degradation 390 rate constants obtained in the WWTP effluent to those obtained in drinking water. In the presence of $S_2O_8^{2-}$ and regardless of the type of radiation, k' are reduced by 76 to 80%. 391 392 However, in the UVC/H₂O₂ process, degradation rates are only inhibited by 27, 30 and 12% 393 for E1, E2 and EE2 respectively. Based on these results, process performances seem to be much more affected in a real matrix when $S_2O_8^{2-}$ is used compared to H_2O_2 . 394 In the literature, the reactivity of H_2O_2 and $S_2O_8^{2-}$ with the WWTP effluent components 395 396 (mainly organic matter and inorganic anions) was not reported to be significant. The 397 inhibition in a WWTP effluent is rather probably due to the scavenging of the oxidative 398 radicals by the organic matter and inorganic anions such as Cl⁻, NO₃⁻ and HCO₃⁻ [9, 33, 34]. 399 Results obtained in the present study suggest that the scavenging of the radicals by the matrix components is stronger for SO₄: than for HO. In both matrices under study, carbonate 400 concentrations are similar. However, the total organic carbon of the effluent is 7.5 mg_C L⁻¹ 401 402 whereas that of drinking water is not significant (< 0.5 mg_C L⁻¹). In addition, conductivity, 403 chloride and nitrate concentrations are 2.3, 10 and 4.2 times higher in the WWTP effluent respectively. These differences in matrix composition could indeed induce HO and SO4. 404 405 scavenging. Wang and Wang [35] reported in a literature review that both radicals have similar second order reaction rate constants with HCO_3^- (9 × 10⁶ M⁻¹ s⁻¹), that Cl⁻ have 406

Pseudo-first order degradation rate constants of the estrogens are presented and compared to

negligible effect and that NO₃ could have a scavenging impact, although its second order reaction rate with HO· is not reported and that with SO₄· is negligible $(k_{SO_4^-,NO_3^-}^{"}=2.1~{\rm M}^{-1}~{\rm s}^{-1})$. Therefore, the significant decrease in efficiency of ${\rm S_2O_8}^{2-}$ observed in the present study under both types of radiation could rather be attributed to radical scavenging by organic matter, which would be stronger for SO₄. than for HO. This inhibition is governed by the competition between the micropollutants of interest and organic matter to react with the radicals. Second order rate constants between the radicals and the organic matter were not determined in the present study. However, Lutze et al. [36] reported higher reaction rates of natural organic matter with HO· than with SO₄· but they only considered humic acids whereas it was previously reported in the literature that the composition of organic matter in WWTP effluents has a large variation range which also includes fulvic acids, hydrophilic acids, bases and neutral or hydrophobic neutrals for example [37, 38, 39]. Regarding the reactivity between the estrogens and the radicals, Gabet et al. [9] previously reported that second order rate constants are lower with SO_4 . (from 1.8 × 10^9 to 4.1×10^9 M⁻¹ s⁻¹) than with HO• (from 1.8×10^{10} to 2.9×10^{10} M⁻¹ s⁻¹). As a consequence, SO_4 is more likely to be scavenged by organic matter than HO, depending on their second order reaction rates with the organic matter involved.

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422




Figure 3. Pseudo-first order degradation rate constants of E1, E2 and EE2 (5 μ M) in a WWTP effluent compared to those in drinking water, H_2O_2 or $S_2O_8^{2-}=1$ mM.

In drinking water, $UVA/S_2O_8^{2-}$ seemed to have potential in degrading estrogens: it induced degradation rates only 3 to 8 times slower than UVC/H_2O_2 . In the WWTP effluent, this is no longer the case because $UVA/S_2O_8^{2-}$ provides 12 to 24 times lower k' values than UVC/H_2O_2 . Regarding UVC-based processes, $UVC/S_2O_8^{2-}$ was by far the most competitive process in drinking water with 7 to 12 times faster degradations than with H_2O_2 . In a WWTP effluent, they are only 2 to 3.4 times faster than with H_2O_2 . Therefore, even if $UVC/S_2O_8^{2-}$ still gives the best results, performance indicators become of the same order of magnitude as those obtained with UVC/H_2O_2 .

Unsurprisingly, the E_{EO} values reported in Table 9 show that the electrical energy required to reduce estrogens concentrations by one order of magnitude increases when aqueous matrix becomes more complex (from drinking water to WWTP effluent). However, UVC-based processes still exhibit E_{EO} values lower than 10 kWh m⁻³ order⁻¹ and even lower than 4,

attesting to their economic feasibility. Based on E_{EO} , UVC/S₂O₈²⁻ is more attractive than

UVC/H₂O₂ with E_{EO} values two to four times lower. Regarding UVA/S₂O₈²⁻ process, switching to a real matrix raises E_{EO} values (up to between 50 and 60 kWh m⁻³ order⁻¹) above the economic feasibility threshold. While this excess is not strictly prohibitive for UVA technologies, it does indicate that UVC-based AOPs are comparatively more economically attractive.

For the two processes that use persulfate ions as radical precursors, E_{EO} values increase by a factor of between 5 and 8 as a result of the matrix change, whether with UVA or UVC, whereas this factor is around 1.5 for UVC/ H_2O_2 . As seen above based on kinetics considerations, the switch to a real matrix also reduces the performance of persulfate based AOPs more than that of H_2O_2 based ones.

3.3.2. Pharmaceutical degradation

WWTP effluent 2 collected at the outlet of the same conventional treatment plant (see Table 2 for more details) was spiked with a mixture of three pharmaceuticals, namely ibuprofen (IBU), naproxen (NAP) and diclofenac (DCF). The UVA/S₂O₈²⁻, UVC/H₂O₂ and UVC/S₂O₈²⁻ processes were carried out in the same conditions as previously. Pseudo-first order degradation rates of the mixture of pharmaceuticals are depicted in Figure 4 (data is available in Table SM3 and experimental data is available as C/C₀ curves in Figure SM6).

In all the processes, k' are significantly different between the three compounds and their ranking is similar in the three processes: $k'_{IBU} < k'_{NAP} < k'_{DCF}$. k'_{DCF} is 7 and 11 times higher than k'_{IBU} with H₂O₂ and S₂O₈²⁻ respectively and it is 5.5 times greater than k'_{NAP} with H₂O₂. However, it is less than twice k'_{NAP} with S₂O₈²⁻. As observed for the estrogens, both UVC processes provide faster degradation rates than UVA/S₂O₈²⁻ (from 10 to 63 times with H₂O₂ and from 38 to 56 times with S₂O₈²⁻). However, degradation rates are of the same order of magnitude under UVC radiation with the two oxidant precursors. They are only 1.3 and 3.7

times faster with $S_2O_8^{2^-}$ for DCF and NAP respectively and the degradation of IBU is on the contrary 1.2 times slower with $S_2O_8^{2^-}$ than with H_2O_2 .

Firstly, the difference in degradation rates between the three pharmaceuticals is going to be discussed. Under UVC radiation, DFC is highly photolysable: Fu et al. [40] reported a high photolysis rate of DCF with 92% degradation after 600 s of exposure in their system whereas NAP and IBU were degraded by 52 and 28% respectively. Under UVA radiation, low photolysis is expected in view of the global degradation results reported in Figure 4. However, it has not been studied, to the best of our knowledge. Regarding oxidation, second order rate constants (k'') all are of the same order of magnitude (Table 10). However, they follow the same trend as k': those of DCF are equal to or higher than those of NAP which are higher than those of IBU. Therefore, the differences in pseudo-first order degradation rates between the pharmaceuticals are attributed to both their different photo-sensitivities and their

Table 10. Second order reaction constants between the radicals and IBU, NAP and DCF.

second order rate constants with HO· and SO₄·.

	IBU	NAP	DCF
$k_{HO}^{"}$ (M ⁻¹ s ⁻¹)	5.57×10^{9} [41]	9.05×10^{9} [42]	$9.29 \times 10^{9} ^{[43]}$
$k_{SO_4^{}}^{"}(M^{-1} s^{-1})$	1.32×10^{9} [41]	5.64×10^{9} [42]	9.2×10^{9} [44]

Regarding process efficiency, faster degradation under UVC radiation is attributed to both faster pharmaceutical photolysis and radical generation. Moreover, as seen previously, better degradation in the presence of $S_2O_8^{2-}$ is attributed to the faster generation of SO_4 compared to HO \cdot . Under UVC radiation, only the degradation of IBU is faster in the presence of H_2O_2 than with $S_2O_8^{2-}$. This is due to $k''_{HO\cdot,IBU}$ which is more than 4 times higher than $k''_{SO_4^{--},IBU}$. The same trend is observed with NAP whose second order rate constant is 1.6 times higher with HO \cdot compared to SO_4 . However, the competition between the different species or the

faster generation of SO_4 allows NAP to be degraded faster in the $UVC/S_2O_8^{2-}$ process compared to UVC/H_2O_2 .




Figure 4. Pseudo-first order degradation rate constants of IBU, NAP and DCF (5 μM) in a WWTP effluent, H_2O_2 or $S_2O_8^{2-}=1$ mM.

 E_{EO} calculated for the degradation of pharmaceuticals are shown in Table 11. As already seen with estrogens, UVC-based AOPs exhibit more favorable values of E_{EO} (lower than 10 kWh m⁻³ order) than UVA-based one. With persulphate ions as radical precursor and irrespective of UV radiation energy, the E_{EO} of IBU is significantly higher than that of NAP and DCF, which are of the same order of magnitude. E_{EO} obtained from UVC/H₂O₂ experiments are less contrasted. It is worth noticing that when comparing the highest and the lowest E_{EO} values for a given AOP, the ratios vary from 7 to 20 in the case of pharmaceuticals attesting a high degree of variability depending on the molecules, whereas they were much less dispersed, from 1.4 to 2.0, in the case of hormones which have fairly similar molecular structures.

Table 11. Values of E_{EO} for pharmaceuticals degradation by photooxidation in WWTP effluent 2.

Radiation type	Oxidant precursor	Pharmaceutical	E_{EO} (kWh m ⁻³ order ⁻¹)
		IBU	203.1
UVA	$S_2O_8^{2-}$	NAP	23.3
		DCF	15.5
	H_2O_2	IBU	2.1
		NAP	1.7
UVC		DCF	0.3
UVC		IBU	4.0
	$\mathrm{S_2O_8}^{2\text{-}}$	NAP	0.5
		DCF	0.2

3.3.3. Removal efficiencies at 1000 mJ cm⁻²

Removal efficiencies at 1000 mJ cm⁻² in the three processes are depicted in Table SM2 for estrogens and in Table SM3 for the pharmaceuticals.

The UVA/S₂O₈²⁻ process only allowed weak degradation of the model micropollutants. The estrogens were not degraded by more than 6% and the pharmaceuticals by 17%. On the other hand, UVC radiation allowed satisfactory or good removal efficiencies at 1000 mJ cm⁻², depending on the model micropollutant and the oxidant precursor. In the presence of H_2O_2 , the estrogens were degraded from 43 to 71% and IBU, NAP and DCF were degraded by 66, 75 and 100% respectively. In the presence of $S_2O_8^{2-}$, the three estrogens underwent better degradation with removal efficiencies reaching 90 ± 1%. NAP also underwent better degradation and was almost completely degraded (99%) and DCF was still completely removed, whereas IBU was only degraded by 58%, which is slightly poorer than the degradation performances allowed by the UVC/ H_2O_2 process, due to a lower k', as discussed in section 3.3.2. As a consequence, the better performances of the UVC/ $S_2O_8^{2-}$ are clear for the estrogens and NAP. However, both UVC processes are comparable for the degradation in the

presence of H₂O₂, depicting the importance of the nature of the target in the process efficiency
 assessment.

In Switzerland, where a regulation regarding the removal of micropollutants in WWTPs is applicable, it imposes 80% removal on a selection of micropollutants over the complete treatment process. In the present study, the $UVC/S_2O_8^{2-}$ process provides alone such degradation for 5 of the 6 studied compounds and although the UVC/H_2O_2 process does not allow such performances, it could significantly increase the overall micropollutant removal in a WWTP when used as a tertiary treatment.

4. Conclusion

The following main conclusions can be drawn from this study about the feasibility of replacing UVC by UVA in AOPs to degrade micropollutant. Firstly, experiments carried out in drinking water as a simplified matrix with a mixture of estrogens showed that UVA is less efficient than UVC in photolyzing both the radical precursors (H_2O_2 or $S_2O_8^{2-}$) and targeted compounds, which results in lower degradation rates as well as poorer performance at a given UV fluence. Based on E_{EO} calculations, UVA/ H_2O_2 seems not economically feasible unlike other AOPs.

Experiments carried out with estrogens- or pharmaceuticals-spiked WWTP effluents showed that in the presence of a complex matrix, the UVA/ $S_2O_8^{2-}$ process is no longer feasible with values of E_{EO} higher than threshold value. For all AOPs, performance decreases drastically in WWTP matrix, but the UVC-based processes remain economically feasible with satisfactory micropollutant degradation. Persulphate ions still provide better degradation performances than H_2O_2 , even though inhibition due to matrix change, expressed as a % relative to drinking water, is stronger, showing a higher scavenging effect of SO_4 -* than of HO* by organic matter.

541 Since the efficiency of a radical precursor is both compound- and matrix-dependent, further experiments on a larger panel of micropollutants would be required in order to confirm $S_2O_8^{2-}$ 542 543 better efficiency. The E_{EO} is a useful tool to compare AOPs, and especially to compare UVA- and UVC-544 processes. Nevertheless, it should be completed by another parameter that would enable a fair 545 546 comparison of radical precursors to be integrated in a technico-economical indicator. For 547 example, the price of a reagent is not the only parameter that induces cost, its implementation 548 has also to be taken into account. However, in view of the experiences carried out in the 549 present study, a more detailed technical and economic approach seems premature. Finally, if the use of mercury-based UVA lamps is ruled out by the results of the present 550 551 study, there are other UVA radiation sources that could allow for the implementation of less 552 energy consuming processes and for the consideration of UV fluences greater than 1000 mJ cm⁻² (defined for UVC mercury-based lamps). UVA-light emitting diodes (LEDs) 553 554 are one of them. LEDs have been an emerging light source over the past years and they are 555 known for their high energy efficiency, robustness, clean composition and potential for long 556 lifetimes [45]. UVA-LEDs are particularly interesting because they can be up to 15 times 557 more energy efficient than UVA mercury lamps [46], on the contrary to UVC-LEDs which 558 have low energy efficiency [47]. Another solution for UVA-based processes are solar-driven 559 systems that would allow considering greater energy requirements to reach complete 560 degradation of the targets because solar light is a free and clean energy. However, their major 561 drawback remains process implementation: despite the availability of solar light concentrator, 562 designing a system able to provide appropriate UV fluence for the degradation of 563 micropollutants with solar radiation remains nowadays challenging.

564

565

566

5. Declaration of Competing Interest

All authors declare no conflict of interest.

Acknowledgements

The authors wish to acknowledge the financial support of the "Région Auvergne-Rhône-Alpes" for their financial support through the "Pack Ambition Recherche". This work was performed within the framework of the EUR H2O'Lyon (ANR-17-EURE-0018) of Université de Lyon (UdL), within the program "Investissements d'Avenir" operated by the French National Research Agency (ANR). This work was also supported by the "Federation des Recherches en Environnement" through the CPER "Environnement" founded by the "Région Auvergne," the French government and FEDER from European community.

575 References

- 576 [1] Gallé, T., Pittois, D., Bayerle, M., & Braun, C. (2019). An immission perspective of
- 577 emerging micropollutant pressure in Luxembourgish surface waters: A simple evaluation
- 578 scheme for wastewater impact assessment. Environmental Pollution, 253, 992-999.
- 579 https://doi.org/10.1016/j.envpol.2019.07.080.
- 580 [2] Luo, Y., Guo, W., Ngo, H. H., Nghiem, L. D., Hai, F. I., Zhang, J., Liang, S., & Wang, X.
- 581 C. (2014). A review on the occurrence of micropollutants in the aquatic environment and their
- fate and removal during wastewater treatment. Science of The Total Environment, 473 474,
- 583 619- 641. https://doi.org/10.1016/j.scitotenv.2013.12.065.
- 584 [3] Pasquini, L., Munoz, J.-F., Pons, M.-N., Yvon, J., Dauchy, X., France, X., Le, N. D.,
- France-Lanord, C., & Görner, T. (2014). Occurrence of eight household micropollutants in
- urban wastewater and their fate in a wastewater treatment plant. Statistical evaluation. *Science*
- 587 of The Total Environment, 481, 459- 468. https://doi.org/10.1016/j.scitotenv.2014.02.075.
- 588 [4] Portail assainissement collectif. (s. d.). Consulté 12 septembre 2022, à l'adresse
- https://www.assainissement.developpement-durable.gouv.fr/PortailAC/liste_inc_new2
- 590 [5] Cédat, B., de Brauer, C., Métivier, H., Dumont, N., & Tutundjan, R. (2016). Are UV
- 591 photolysis and UV/H2O2 process efficient to treat estrogens in waters? Chemical and
- 592 biological assessment at pilot scale. Water Research, 100, 357-366.
- 593 https://doi.org/10.1016/j.watres.2016.05.040.
- 594 [6] Chen, P.-J., Rosenfeldt, E. J., Kullman, S. W., Hinton, D. E., & Linden, K. G. (2007).
- 595 Biological assessments of a mixture of endocrine disruptors at environmentally relevant
- 596 concentrations in water following UV/H2O2 oxidation. Science of The Total Environment,
- 597 376(1-3), 18-26. https://doi.org/10.1016/j.scitotenv.2006.12.051.

- 598 [7] Song, W., Li, J., Wang, Z., & Zhang, X. (2019). A mini review of activated methods to
- 599 persulfate-based advanced oxidation process. Water Science and Technology, 79(3),
- 600 573- 579. https://doi.org/10.2166/wcc.2018.168.
- 601 [8] Zhang, W., Zhou, S., Sun, J., Meng, X., Luo, J., Zhou, D., & Crittenden, J. (2018). Impact
- of Chloride Ions on UV/H 2 O 2 and UV/Persulfate Advanced Oxidation Processes.
- 603 Environmental Science & Technology, 52(13), 7380-7389.
- 604 https://doi.org/10.1021/acs.est.8b01662.
- 605 [9] Gabet, A., Métivier, H., de Brauer, C., Mailhot, G., & Brigante, M. (2021). Hydrogen
- 606 peroxide and persulfate activation using UVA-UVB radiation: Degradation of estrogenic
- 607 compounds and application in sewage treatment plant waters. Journal of Hazardous
- 608 *Materials*, 405, 124693. https://doi.org/10.1016/j.jhazmat.2020.124693.
- 609 [10] Moreira, N. F. F., Narciso-da-Rocha, C., Polo-López, M. I., Pastrana-Martínez, L. M.,
- 610 Faria, J. L., Manaia, C. M., Fernández-Ibáñez, P., Nunes, O. C., & Silva, A. M. T. (2018).
- Solar treatment (H2O2, TiO2-P25 and GO-TiO2 photocatalysis, photo-Fenton) of organic
- 612 micropollutants, human pathogen indicators, antibiotic resistant bacteria and related genes in
- 613 urban wastewater. Water Research, 135, 195- 206.
- 614 https://doi.org/10.1016/j.watres.2018.01.064.
- 615 [11] Fernandes, C. H. M., Silva, B. F., & Aquino, J. M. (2021). On the performance of distinct
- electrochemical and solar-based advanced oxidation processes to mineralize the insecticide
- 617 imidacloprid. Chemosphere, 275, 130010.
- 618 https://doi.org/10.1016/j.chemosphere.2021.130010.
- 619 [12] Kowalska, K., Maniakova, G., Carotenuto, M., Sacco, O., Vaiano, V., Lofrano, G., &
- Rizzo, L. (2020). Removal of carbamazepine, diclofenac and trimethoprim by solar driven
- 621 advanced oxidation processes in a compound triangular collector based reactor: A

- 622 comparison between homogeneous and heterogeneous processes. *Chemosphere*, 238, 124665.
- 623 https://doi.org/10.1016/j.chemosphere.2019.124665.
- 624 [13] Rizzo, L., Lofrano, G., Gago, C., Bredneva, T., Iannece, P., Pazos, M., Krasnogorskaya,
- N., & Carotenuto, M. (2018). Antibiotic contaminated water treated by photo driven advanced
- oxidation processes: Ultraviolet/H2O2 vs ultraviolet/peracetic acid. Journal of Cleaner
- 627 *Production*, 205, 67-75. https://doi.org/10.1016/j.jclepro.2018.09.101.
- 628 [14] Velo-Gala, I., Pirán-Montaño, J. A., Rivera-Utrilla, J., Sánchez-Polo, M., & Mota, A. J.
- 629 (2017). Advanced Oxidation Processes based on the use of UVC and simulated solar radiation
- 630 to remove the antibiotic tinidazole from water. *Chemical Engineering Journal*, 323, 605-617.
- 631 https://doi.org/10.1016/j.cej.2017.04.102.
- [15] Ilyas, H. & van Hullebush, E.D. (2020). Performance comparison of different types of
- constructed wetlands for the removal of pharmaceuticals and their transformation products: a
- 634 review. Environmental Science and Pollution Research, 27(14): 1-23.
- 635 https://doi.org/10.1007/s11356-020-08165-w.
- 636 [16] Janex-Habibi, M.-L., Huyard, A., Esperanza, M., & Bruchet, A. (2009). Reduction of
- endocrine disruptor emissions in the environment: The benefit of wastewater treatment.
- 638 Water Research, 43(6), 1565- 1576. https://doi.org/10.1016/j.watres.2008.12.051.
- 639 [17] Schilirò, T., Pignata, C., Rovere, R., Fea, E., & Gilli, G. (2009). The endocrine disrupting
- 640 activity of surface waters and of wastewater treatment plant effluents in relation to
- 641 chlorination. *Chemosphere*, 75(3), 335- 340.
- 642 https://doi.org/10.1016/j.chemosphere.2008.12.028.
- 643 [18] Adeel, M., Song, X., Wang, Y., Francis, D., & Yang, Y. (2017). Environmental impact of
- estrogens on human, animal and plant life: A critical review. Environment International, 99,
- 645 107- 119. https://doi.org/10.1016/j.envint.2016.12.010.

- 646 [19] Bolton, J. R., & Stefan, M. I. (2002). Fundamental photochemical approach to the
- concepts of fluence (UV dose) and electrical energy efficiency in photochemical degradation
- 648 reactions. Research on Chemical Intermediates, 28(7-9), 857-870.
- 649 https://doi.org/10.1163/15685670260469474.
- 650 [20] Sharpless, C. M., & Linden, K. G. (2003). Experimental and Model Comparisons of
- 651 Low- and Medium-Pressure Hg Lamps for the Direct and H 2 O 2 Assisted UV
- Photodegradation of N -Nitrosodimethylamine in Simulated Drinking Water. Environmental
- 653 Science & Technology, 37(9), 1933- 1940. https://doi.org/10.1021/es025814p.
- 654 [21] Shu, Z., Singh, A., Klamerth, N., McPhedran, K., Bolton, J. R., Belosevic, M., & Gamal
- 655 El-Din, M. (2016). Pilot-scale UV/H2O2 advanced oxidation process for municipal reuse
- water: Assessing micropollutant degradation and estrogenic impacts on goldfish (Carassius
- auratus L.). Water Research, 101, 157- 166. https://doi.org/10.1016/j.watres.2016.05.079.
- 658 [22] Bolton, J., Bircher, K., Tumas, W., & Tolman, C. (2001). Figures-of merit for the
- 659 technical development and application of advanced oxidation processes for both electric and
- 660 solar driven systems. Pure Appl. Chem., 73(4), 627–637.
- 661 https://doi.org/10.1351/pac200173040627
- 662 [23] Sindelar, H.R., Brown, M.T., & Boyer, T.H. (2014). Evaluating UV/H₂O₂,
- 663 UV/percarbonate, and UV/perborate for natural organic matter reduction from alternative
- 664 water sources. Chemosphere, 105, 112-118.
- https://doi.org/10.1016/j.chemosphere.2013.12.040.
- 666 [24] Vishnuganth, M.A., Remya, N., Kumar, M., & Selvaraju, N. (2016). Photocatalytic
- degradation of carbofuran by TiO₂-coated activated carbon: Model for kinetic, electrical
- energy per order and economic analysis. Journal of Environmental Management, 181, 201-
- 669 207. https://doi.org/10.1016/j.jenvman.2016.06.016

- 670 [25] Andrews, S., Huck, P., Chute, A., Bolton, J., & Anderson, W. (1995). UV oxidation for
- 671 drinking water feasibility studies for addressing specific water quality issues. AWWA
- 672 *Annual Conference*, 1881–1898, cited by [23].
- 673 [26] Hokanson, D. R., Li, K., & Trussell, R. R. (2016). A photolysis coefficient for
- 674 characterizing the response of aqueous constituents to photolysis. Frontiers of Environmental
- 675 Science & Engineering, 10(3), 428- 437. https://doi.org/10.1007/s11783-015-0780-3.
- 676 [27] Herrmann, H. (2007). On the photolysis of simple anions and neutral molecules as
- sources of O /OH, SO x and Cl in aqueous solution. Phys. Chem. Chem. Phys., 9(30),
- 678 3935- 3964. https://doi.org/10.1039/B618565G.
- 679 [28] Goldstein, S., Aschengrau, D., Diamant, Y., & Rabani, J. (2007). Photolysis of Aqueous
- 680 H ₂ O ₂: Quantum Yield and Applications for Polychromatic UV Actinometry in
- 681 Photoreactors. Environmental Science & Technology, 41(21), 7486-7490.
- 682 https://doi.org/10.1021/es071379t.
- 683 [29] Mark, G., Schuchmann, M. N., Schuchmann, H.-P., & von Sonntag, C. (1990). The
- photolysis of potassium peroxodisulphate in aqueous solution in the presence of tert-butanol:
- A simple actinometer for 254 nm radiation. *Journal of Photochemistry and Photobiology A:*
- 686 *Chemistry*, 55(2), 157- 168. https://doi.org/10.1016/1010-6030(90)80028-V.
- 687 [30] Moreira, F. C., Soler, J., Alpendurada, M. F., Boaventura, R. A. R., Brillas, E., & Vilar,
- V. J. P. (2016). Tertiary treatment of a municipal wastewater toward pharmaceuticals removal
- 689 by chemical and electrochemical advanced oxidation processes. Water Research, 105,
- 690 251- 263. https://doi.org/10.1016/j.watres.2016.08.036.
- 691 [31] Huang, F., Gao, F., Li, C., & Campos, L. C. (2022). Photodegradation of free estrogens
- driven by UV light: Effects of operation mode and water matrix. Science of The Total
- 693 Environment, 835, 155515. https://doi.org/10.1016/j.scitotenv.2022.155515.

- 694 [32] Rosenfeldt, E.J. & Linden, K.G. (2004). Degradation of endocrine disrupting chemicals
- 695 bisphenol A, ethinyl estradiol, and estradiol during UV photolysis and advanced oxidation
- 696 processes. Environment Science and technology, 15;38(20):5476-83.
- 697 https://doi.org/10.1021/es035413p.
- 698 [33] Ma, J., Yang, Y., Jiang, X., Xie, Z., Li, X., Chen, C., & Chen, H. (2018). Impacts of
- 699 inorganic anions and natural organic matter on thermally activated persulfate oxidation of
- 700 BTEX in water. *Chemosphere*, 190, 296-306.
- 701 https://doi.org/10.1016/j.chemosphere.2017.09.148.
- 702 [34] Olmez-Hanci, T., Dursun, D., Aydin, E., Arslan-Alaton, I., Girit, B., Mita, L., Diano, N.,
- 703 Mita, D. G., & Guida, M. (2015). S2O82–/UV-C and H2O2/UV-C treatment of Bisphenol A:
- Assessment of toxicity, estrogenic activity, degradation products and results in real water.
- 705 *Chemosphere*, 119, S115- S123. https://doi.org/10.1016/j.chemosphere.2014.06.020.
- 706 [35] Wang, J., & Wang, S. (2021). Effect of inorganic anions on the performance of advanced
- oxidation processes for degradation of organic contaminants. Chemical Engineering Journal,
- 708 *411*, 128392. https://doi.org/10.1016/j.cej.2020.128392.
- 709 [36] Lutze, H. V., Bircher, S., Rapp, I., Kerlin, N., Bakkour, R., Geisler, M., von Sonntag, C.,
- 8 Schmidt, T. C. (2015). Degradation of Chlorotriazine Pesticides by Sulfate Radicals and the
- 711 Influence of Organic Matter. Environmental Science & Technology, 49(3), 1673- 1680.
- 712 https://doi.org/10.1021/es503496u.
- 713 [37] Imai, A., Fukushima, T., Matsushige, K., Kim, Y.-H., & Choi, K. (2002).
- 714 Characterization of dissolved organic matter in effluents from wastewater treatment plants.
- 715 Water Research, 36(4), 859-870. https://doi.org/10.1016/S0043-1354(01)00283-4.
- 716 [38] Ma, H., Allen, H. E., & Yin, Y. (2001). Characterization of isolated fractions of
- 717 dissolved organic matter from natural waters and a wastewater effluent. Water Research,
- 718 35(4), 985- 996. https://doi.org/10.1016/S0043-1354(00)00350-X.

- 719 [39] Yu, J., Lv, L., Lan, P., Zhang, S., Pan, B., & Zhang, W. (2012). Effect of effluent organic
- 720 matter on the adsorption of perfluorinated compounds onto activated carbon. Journal of
- 721 *Hazardous Materials*, 225 226, 99 106. https://doi.org/10.1016/j.jhazmat.2012.04.073.
- 722 [40] Fu, Y., Gao, X., Geng, J., Li, S., Wu, G., & Ren, H. (2019). Degradation of three
- 723 nonsteroidal anti-inflammatory drugs by UV/persulfate: Degradation mechanisms, efficiency
- 724 in effluents disposal. Chemical Engineering Journal, 356, 1032-1041.
- 725 https://doi.org/10.1016/j.cej.2018.08.013.
- 726 [41] Kwon, M., Kim, S., Yoon, Y., Jung, Y., Hwang, T.-M., Lee, J., & Kang, J.-W. (2015).
- 727 Comparative evaluation of ibuprofen removal by UV/H2O2 and UV/S2O82- processes for
- 728 wastewater treatment. Chemical Engineering Journal, 269, 379-390.
- 729 https://doi.org/10.1016/j.cej.2015.01.125.
- 730 [42] Dong, S., Zhai, X., Pi, R., Wei, J., Wang, Y., & Sun, X. (2020). Efficient degradation of
- naproxen by persulfate activated with zero-valent iron: Performance, kinetic and degradation
- 732 pathways. Water Science and Technology, 81(10), 2078-2091.
- 733 https://doi.org/10.2166/wst.2020.263.
- 734 [43] Yu, H., Nie, E., Xu, J., Yan, S., Cooper, W. J., & Song, W. (2013). Degradation of
- 735 Diclofenac by Advanced Oxidation and Reduction Processes: Kinetic Studies, Degradation
- 736 Pathways and Toxicity Assessments. Water Research, 47(5), 1909-1918.
- 737 https://doi.org/10.1016/j.watres.2013.01.016.
- 738 [44] Mahdi Ahmed, M., Barbati, S., Doumeng, P., & Chiron, S. (2012). Sulfate radical anion
- 739 oxidation of diclofenac and sulfamethoxazole for water decontamination. Chemical
- 740 Engineering Journal, 197, 440- 447. https://doi.org/10.1016/j.cej.2012.05.040.
- 741 [45] Autin, O., Romelot, C., Rust, L., Hart, J., Jarvis, P., MacAdam, J., Parsons, S. A., &
- 742 Jefferson, B. (2013). Evaluation of a UV-light emitting diodes unit for the removal of

- micropollutants in water for low energy advanced oxidation processes. Chemosphere, 92(6),
- 744 745- 751. https://doi.org/10.1016/j.chemosphere.2013.04.028.
- 745 [46] Rodríguez-Chueca, J., Ferreira, L. C., Fernandes, J. R., Tavares, P. B., Lucas, M. S., &
- Peres, J. A. (2015). Photocatalytic discolouration of Reactive Black 5 by UV-A LEDs and
- 747 solar radiation. Journal of Environmental Chemical Engineering, 3(4), 2948-2956.
- 748 https://doi.org/10.1016/j.jece.2015.10.019.
- 749 [47] Matafonova, G., & Batoev, V. (2018). Recent advances in application of UV light-
- 750 emitting diodes for degrading organic pollutants in water through advanced oxidation
- 751 processes: A review. Water Research, 132, 177-189.
- 752 https://doi.org/10.1016/j.watres.2017.12.079.

Supplementary Materials

Pilot-scale assessment of the viability of UVA radiation for H_2O_2 or $S_2O_8^{2-}$

activation in advanced oxidation processes

Anaëlle Gabet^{1,2}, Christine de Brauer¹, Gilles Mailhot², Marcello Brigante², Hélène Métivier¹


¹ Univ Lyon, INSA Lyon, DEEP, EA7429, 69621 Villeurbanne, France


² Université Clermont Auvergne, CNRS, Clermont Auvergne INP, Institut de Chimie de


Clermont-Ferrand, F-63000 Clermont-Ferrand, France

*corresponding author: helene.metivier@insa-lyon.fr


Figure SM1. UVA lamp emission spectrum (Philips).









Initial concentration of estrogens: 5 μM each; initial concentration of radical precursor (hydrogen peroxide (H2O2) or persulphate ions (PS)): 1 mM; aqueous matrix is drinking water (Table 2).



Initial concentration of estrogens: $5 \mu M$ each; initial concentration of radical precursor (hydrogen peroxide (H2O2) or persulphate ions (PS)): $1 \mu M$; aqueous matrix is drinking water (Table 2).



Initial concentration of estrogens: 5 μ M each; initial concentration of radical precursor (hydrogen peroxide (H2O2) or persulphate ions (PS)): 1 mM; aqueous matrix is WWTP effluent 1 (Table 2).



Initial concentration of pharmaceuticals: $5 \mu M$ each; initial concentration of radical precursor (hydrogen peroxide (H2O2) or persulphate ions (PS)): $1 \mu M$; aqueous matrix is WWTP effluent 2 (Table 2)

Matrix	Radiation	Oxidant	Time	Target	C_i	C_f	E_{EO}
	type	precursor	(min)	molecule	(µM)	(µM)	(kWh m ⁻³ order ⁻¹)
	T	1		Estrogens			1
				E1	4.09	3.82	424.8
	UVA	None	420	E2	4.60	4.04	223.5
				EE2	4.38	3.59	145.9
				E1	4.21	0.05	2.1
	UVC	None	90	E2	4.29	3.52	47.1
				EE2	4.49	3.35	31.8
<u>.</u>				E1	4.20	3.34	126.6
'ate		H_2O_2	420	E2	4.50	3.15	81.3
50	UVA			EE2	4.57	3.24	84.4
kin	UVA			E1	4.32	0.87	10.3
Drinking water		$S_2O_8^{2-}$	240	E2	4.51	0.51	7.6
				EE2	4.61	0.48	7.3
				E1	4.72	0.44	1.3
	UVC	H_2O_2	30	E2	4.86	1.17	2.2
				EE2	4.75	1.09	2.1
		S ₂ O ₈ ²⁻	5	E1	3.99	0.25	0.2
				E2	4.26	0.06	0.1
				EE2	5.35	0.09	0.1
	UVA	$\mathrm{S_2O_8}^2$	360	E1	4.38	2.89	59.8
				E2	4.38	2.79	55.1
nt 1				EE2	4.78	2.89	49.4
Jue		H_2O_2		E1	4.75	0.23	2.1
WWTP effluent 1			60	E2	4.85	0.81	3.5
/TP	UVC			EE2	5.07	0.71	3.2
	UVC			E1	4.1	1.89	0.9
		$S_2O_8^{2-}$	7	E2	4.34	1.99	0.9
				EE2	4.78	2.14	0.9
	ı	ı	Pł	narmaceutica	als		•
				IBU	5.42	4.79	203.1
	UVA	$S_2O_8^{2-}$	360	NAP	4.71	1.62	23.3
1t 2				DCF	4.34	0.87	15.5
lueı				IBU	5.70	2.67	2.1
eff		H_2O_2	15	NAP	5.38	2.18	1.7
WWTP effluent 2	III		-	DCF	4.70	0.03	0.3
	UVC			IBU	5.15	4.53	4.0
>		$S_2O_8^{2-}$	5	NAP	4.03	1.38	0.5
		2 2 0	-	DCF	4.03	0.46	0.2

Table SM2. Pseudo-first order degradation constants of E1, E2 and EE2 in the different processes with two different matrices and the degradation rates at $1000~\text{mJ}~\text{cm}^{-2}$ in WWTP effluent 1.

			Drinking water	WWTP effluent 1	
Radiation	Oxidant	Estrocon	Rate constants k'		Degradation at 1000 mJ cm ⁻²
type	precursor	Estrogen	$(cm^2 mJ^{-1})$		(%)
UVA	$\mathbf{S_2O_8}^{2-}$	E1	2.1×10^{-4}	5.2×10^{-5}	5
		E2	2.8×10^{-4}	5.5×10^{-5}	5
		EE2	3.0×10^{-4}	6.3×10^{-5}	6
UVC	H ₂ O ₂	E1	1.7×10^{-3}	1.2×10^{-3}	71
		E2	9.4×10^{-4}	6.6×10^{-4}	48
		EE2	9.5×10^{-4}	8.4×10^{-4}	43
	S ₂ O ₈ ²⁻	E1	1.1×10^{-2}	2.3×10^{-3}	90
		E2	1.1×10^{-2}	2.3×10^{-3}	90
		EE2	1.1×10^{-2}	2.4×10^{-3}	91

Table SM3. Pseudo-first order degradation constants of IBU, NAP and DCF in the different processes with WWTP effluent 2 as a matrix and the degradation rates at $1000 \, \text{mJ cm}^2$.

Radiation	Oxidant	Dl	Rate constants k'	Degradation at 1000 mJ cm ⁻²
type	precursor	Pharmaceuticals	$(cm^2 mJ^{-1})$	(%)
UVA	S ₂ O ₈ ²⁻	IBU	1.7×10^{-5}	2
		NAP	1.3×10^{-4}	13
		DCF	1.8×10^{-4}	17
UVC	H_2O_2	IBU	1.1×10^{-3}	66
		NAP	1.4×10^{-3}	75
		DCF	7.7×10^{-3}	100
	$S_2O_8^{2-}$	IBU	8.7×10^{-4}	58
		NAP	5.1×10^{-3}	99
		DCF	1.0×10^{-2}	100