



Do bibliometric findings differ between Medline, Google Scholar and Web of Science? Bibliometry of publications after oral presentation to the 2013 and 2014 French Society of Arthroscopy (SFA) Congresses

Guillaume Villatte, Pierre-Sylvain Marcheix, Maxime Antoni, Patrick Devos, Stéphane Descamps, Stéphane Boisgard, Roger Erivan

► To cite this version:

Guillaume Villatte, Pierre-Sylvain Marcheix, Maxime Antoni, Patrick Devos, Stéphane Descamps, et al.. Do bibliometric findings differ between Medline, Google Scholar and Web of Science? Bibliometry of publications after oral presentation to the 2013 and 2014 French Society of Arthroscopy (SFA) Congresses. *Orthopaedics & Traumatology: Surgery & Research*, 2020, 106 (8), pp.1469-1473. 10.1016/j.otsr.2020.09.005 . hal-03138334

HAL Id: hal-03138334

<https://uca.hal.science/hal-03138334>

Submitted on 15 Dec 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Original article

**Do bibliometric findings differ between Medline, Google Scholar and Web of Science?
Bibliometry of publications after oral presentation to the 2013 and 2014 French Society of
Arthroscopy (SFA) Congresses.**

Guillaume **VILLATTE**^{a,b*}, Pierre-Sylvain **MARCHEIX**^c, Maxime **ANTONI**^d, Patrick
DEVOS^e, Stéphane **DESCAMPS**^{a,b}, Stéphane **BOISGARD**^{a,b}, Roger **ERIVAN**^{a,b}.

a: Université Clermont Auvergne, CHU Clermont-Ferrand, CNRS, SIGMA Clermont, ICCF,
F-63000 Clermont–Ferrand, France

b: Service d’Orthopédie-Traumatologie. CHU Montpied Clermont-Ferrand, 63000 Clermont–
Ferrand, France

c: Service de Chirurgie Orthopédique et Traumatologique, CHU de Limoges, 2 Avenue
Martin-Luther-King, 87042 Limoges cedex, France

d: Service de Chirurgie du Membre Supérieur, Hôpitaux Universitaires de Strasbourg, 1
Avenue Molière, 67098 Strasbourg, France.

e: Université de Lille, CHU Lille, ULR 2694 - METRICS: Évaluation des Technologies de
Santé et des Pratiques Médicales, F-59000 Lille, France.

* Corresponding author: Guillaume **VILLATTE**

Orthopedic and Trauma Surgery Department, Hôpital Gabriel Montpied, CHU de Clermont
Ferrand BP 69, 63003 Clermont Ferrand, France

Phone: +33 4 73 751 535

Email: guivillatte@gmail.com

Abstract

Introduction

Bibliometrics consists in quantitative and qualitative analysis of an individual's or group's communication (volume, visibility), and impacts research funding. There are a number of bibliometric data sources, functioning in different ways and liable to give rise to differing statistics. This point has not been investigated in relation to publication following presentation to a French congress. We therefore conducted a study comparing the main bibliometric instruments, aiming to assess: 1) publication rates following oral presentation to the 2013 and 2014 French Society of Arthroscopy (SFA) Congresses according to the database used, and 2) citation rates for these publications according to database.

Hypothesis

Publication and citation rates differ according to database.

Material and method

All 199 Abstracts of oral presentations to the 2013 and 2014 SFA Congresses were included. Based on author names and key-words, manual search was conducted in the Medline, Web of Science and Google Scholar databases. Publication characteristics (citation rate) were studied using the 3 databases and the French SIGAPS (*Système d'Interrogation, de Gestion et d'Analyse des Publications Scientifiques*: Scientific Publication Search, Management and Analysis System) website.

Results

Publication rates according to Medline and Google Scholar were the same (48.2%: 96 articles for 199 presentations), but significantly lower on Web of Science (44.7%: 89/199; $p=0.002$).

Citation rates differed significantly ($p < 0.001$) between sources, with Google Scholar listing a mean 1.5-3.4-fold more citations per article than the other 2 databases. Citation rates between the 3 databases correlated strongly ($r = 0.93$).

Discussion

The example presented in this study illustrates the differences in bibliometrics found between different databases. There was a 4% difference (7/199 articles) in publication rates following oral presentation to an SFA Congress, and even greater differences in citation rates per article, with 1.5-3.4-fold more citations according to Google Scholar. Bibliometric studies need to acknowledge the database(s) being used, which should be as many as possible to enhance exhaustiveness.

Level of evidence: IV; descriptive epidemiologic study

Keywords: publication rate; congress, bibliometry.

1. Introduction

Clinical and experimental medical research is fundamental to the initial training of young surgeons. It is also vital throughout a physician's career, continuous medical training being mandatory [1,2], so that practices can progress, providing ever-more well-adapted care. Research results are communicated in the community by 2 principal vectors: oral presentation in a national or international congress, and publication of a written article in a journal [3]. Both are often deployed together, as each has its pros and cons. Bibliometrics is the statistical study of scientific publication. It is particularly important as it quantifies an individual's or group's communication in terms not only of volume but of visibility, influence, partnerships, etc. It is also part of the basis of research funding in France, where Teaching, Research, Referencing and Innovation Missions (*Missions d'Enseignement, de Recherche, de Référence et d'Innovation*: MERRI) are funded via the Scientific Publication Search, Management and Analysis System (*Système d'Interrogation, de Gestion et d'Analyse des Publications Scientifiques*: SIGAPS) [4,5].

Bibliometric data can be found in a number of sources, including Web of Science, Google Scholar and Medline, which differ in origin, functioning and referencing system [6–9]. This may lead to differences in bibliometric statistics that are relevant for researchers, journals and congress organizers.

This point has not been investigated in relation to publication following presentation to a French congress. We therefore conducted a study comparing the main bibliometric instruments, aiming to assess: 1) publication rates following oral presentation to the 2013 and 2014 French Society of Arthroscopy (SFA) Congresses according to the database used, and 2) citation rates for these publications according to database. The study hypothesis was that publication and citation rates differ according to database.

2. Material and method

2.1 Material

A bibliometric study included all oral presentations to the December 2013 and 2014 SFA Congresses. This minimum 5 years' post-congress interval was chosen in the light of findings that 95% of publications following congress presentations are within 4 years [10]. Two consecutive years were included so as to have a sufficient number of presentations.

The following parameters were studied in the congress Abstracts: main topic (joint: shoulder, elbow, wrist and hand, hip, knee, foot and ankle) and subcategory (focus: ligament, tendon, meniscus, cartilage, anatomy, hardware), country of first author, number of centers involved, methodology (multicenter, prospective, randomized), level of evidence, and subsequent publication as article.

Systematic article search was manual on Medline and Google Scholar and digitized on Web of Science, based on author names and key-words in the Abstract, following a previously described methodology [10–14], by two of the present authors. Abstracts were compared between the presentation and the article to check that the two concerned the same study; in case of disagreement, a consensus was reached.

One hundred and ninety-nine presentations were included: 159/199 individual presentations (80%), 28/199 instructional courses (14%), 8/199 fundamental research presentations (4%) and 4/199 symposia (2%). The first author was French in 168/199 cases (84%), other European in 24/199 (12%), North American in 4/199 (2%), and North African in 2/199 (1%). There were 43/199 multicenter studies (22%) and 48/199 reports from international teams (24%).

One hundred and twenty-seven abstracts (64%) concerned clinical studies, including 83/199 prospective (65%) and 14/199 randomized (17%). The retrospective studies (44/199: 35%) were comparative in 11/199 cases (25%). The other presentations concerned experimental

studies (37/199: 19%), literature reviews (30/199: 15%), epidemiologic studies (3/199: 1.5%) and case reports (2/199: 1%).

2.2 Methods

Three bibliographic databases were searched for post-congress articles: Medline, Web of Science and Google Scholar. Citations per article were also retrieved from each database. The SIGAPS category and impact factor (IF) of the journal were retrieved from the SIGAPS database.

2.3 Statistics

Statistical analyses used Excel™ software (Microsoft, Redmond, WA) and the 2019 XLSTAT™ statistical and data analysis solution (Addinsoft, Long Island, NY). Quantitative results were reported as mean \pm standard deviation (range), or median and quartiles in case of non-normal distribution on Shapiro-Wilk test. Differences in mean values were assessed on Student or non-parametric McNemar test, according to normality of distribution. Comparison of annual citation rates according to SIGAPS category used Kruskal-Wallis test. Frequencies were compared on Fisher exact or Chi² test as appropriate. Correlations were assessed on Pearson test. There were no missing data and all Abstracts were analyzed. First-order risk was set at 5% and confidence intervals at 95%.

3. Results

Post-congress publication rates were the same according to Medline and Google Scholar (48.2%: 96 articles for 199 presentations), and significantly lower on Web of Science (44.7%: (89/199; p= 0.002). Table 1 describes the 7 articles [6–8,15–18] not indexed on Web of Science.

Citation rates differed significantly ($p < 0.001$) between the 3 databases, with Google Scholar listing 1.5-3.4-fold more citations on average than the other two: 21.7 ± 25.9 [0 – 153], 14.1 ± 17.6 [0 – 112] and 6.3 ± 9.4 [0 – 71] respectively in Google Scholar, Web of Science and Medline. Citation rates in the 3 databases correlated strongly ($r = 0.93$) (Fig. 1). Citation rates were significantly associated with the journal's SIGAPS category ($p = 0.005$) (Fig. 2).

Mean congress-to-publication interval was 19.6 ± 17 months [-15 to 63]. Mean number of authors was 6.1 ± 2.3 [2-15]. Publications appeared in 26 journals, 6 of which accounted for 75% (71/96):

- Orthopedics & Traumatology: Surgery & Research (32 articles, 33%) (SIGAPS D),
- Knee Surgery Sports Traumatology Arthroscopy (14 articles, 15%) (SIGAPS B),
- Arthroscopy (11 articles, 12%) (SIGAPS B, then A since 2015),
- American Journal of Sports Medicine (5 articles, 5%) (SIGAPS A),
- Knee (5 articles, 5%) (SIGAPS C),
- Journal of Shoulder and Elbow Surgery (4 articles, 5%) (SIGAPS B).

Mean IF was 2.6 ± 1.8 [0.29-13.2] and figure 1 shows journals according to SIGAPS category.

4. Discussion

The example of publication following oral presentation at an SFA Congress confirmed the study hypothesis: there was a difference in indexed publication rates between databases, with a 4% lower rate on Web of Science (7/199) compared to Medline and Google Scholar ($p = 0.002$).

With the development of the Internet in the early 2000s, digitized bibliographic databases became the standard means of access to scientific data [9]. Numerous bibliographic sources are available, but it is difficult to determine which is best suited to a given question:

several factors can be taken into account, such as how the database functions and its specialization, relevance and volume of contents [19–21].

Web of Science is the oldest general scientific database, created in 1960. It is managed by Clarivate Analytics, and since 1997 on-line access has been by subscription. It indexes several specialist databases in medicine, biology, agriculture, mathematics, law, etc. It contains some 100 million articles, the oldest of which date back to the early 20th century [9].

Google Scholar was created by Google in 2004 as an open-access general academic database, and is now the most widely used in the world [22] thanks to its ease of access and of use. It is also the most widely criticized database, as it is said to be plagued by issues of validity [9]: indexing is not controlled by any committee or predefined official rules. Document quality is therefore very variable: articles in indexed peer-reviewed journals, articles in open-access journals, doctoral theses, books and also non-validated free or commercial “gray literature” documents [23]. Some 389 million documents were indexed in 2019, the oldest of which date back to the 18th century [9].

Medline, since 1972, specializes in life sciences and biomedicine, with documents going back to the early 20th century. It is publicly funded by the United States National Library of Medicine. Access is free of charge via PubMed. In 2019, it comprised over 31 million indexed documents in about 5,600 journals selected by its Literature Selection Technical Review Committee [24,25]. Selection is based on a set of criteria: quality and influence of published studies, credibility and independence of the editorial board, article selection methodology, etc. Only 20-25% of journals analyzed get selected, making Medline the database most widely used by researchers in biology and medicine.

These features of the 3 databases can account for the present findings. Five [6–8,15,17] of the 7 articles [6–8,15–17] not found on Web of Science were published in journals not directly indexed there. The other 2 [16,18] were published in a journal indexed on Web of

Science and there had probably been a problem of indexing the actual article's Digital Object Identifier (DOI). Citations rates increase with the number of indexed articles (i.e., size of the database). Thus, Google Scholar gives citations rates that are 1.5-3.4-fold higher on average than the others. However, several reports considered Google Scholar unreliable for bibliometric studies or assessing an author's visibility or that of a journal [26,27], as its functioning is felt to be "obscure" [9] and results cannot be controlled.

The present study had 2 main limitations. Firstly, the initial search list comprised articles published following oral presentation to a general orthopedic congress dedicated to arthroscopy. There happen to have been many reports on bibliometric data for congresses, notably in orthopedics-traumatology, in recent years [11], providing a benchmark for expected publication rates. Using a search methodology similar to that used in similar studies [3] gave publications rates of 44.7-48.2%, which was around the average found for similar congresses [3,11]. Thus, using presentations to the SFA congresses as a basis for the study and as an example to illustrate the hypothesis was validated. Secondly, database search may not have been exhaustive, being manual for 2 of the 3. However, 2 investigators made the search separately for each oral presentation, using the names of the first and last authors and the key-words separately or together, so as to maximize retrieval.

5. Conclusion

Publication rates following oral presentation to the 2013 and 2014 SFA congresses ranged from 44.7% to 48.2%, depending on the database. This example illustrates the bibliometric differences found between databases. Google Scholar and Medline provided more indexed publications (both at the same rate). Even greater differences emerged for citation rates, with 1.5-3.4-fold more citations according to Google Scholar. Bibliometric

studies, for whatever purposes, should thus present a clear search methodology and use multiple sources so as to be exhaustive and enable comparison between studies.

Acknowledgments: The authors thank the SFA and MCO Congrès (Ms Audrey Martin Bayon) for transmission of data.

Disclosure of interest: RE, SD, MA, PSM and PD have no conflicts of interest to disclose. Outside of the present study, SB is a consultant for Zimmer and GV a consultant for FH Ortho.

Funding: none

Author contributions: GV: study design, data analysis, article writing and re-editing. RE and PD: statistical analysis. PSM and MA: re-editing. SD and SB: supervision.

Figure legends

Figure 1: Scatter plot of citations per article according to database. Correlation between the 3 databases was excellent (coefficient $r > 0.93$).

Figure 2: Citations rate according to journal SIGAPS category. The higher the SIGAPS category, the higher the citations rate ($p = 0.005$). (SIGAPS: *Système d'Interrogation, de Gestion et d'Analyse des Publications Scientifiques* (Scientific Publication Search, Management and Analysis System)).

Figure 3: Distribution of articles according to journal SIGAPS category. 53% of articles (51/96) were in SIGAPS A, B or C. (SIGAPS: *Système d'Interrogation, de Gestion et d'Analyse des Publications Scientifiques* (Scientific Publication Search, Management and Analysis System)).

Table 1: Publications not retrieved from Web of Science.

Article DOI	Journal (publication type)	Date of publication	First author country	Topic	Type of study
10.1016/j.otsr.2013.10.009 [16]	Orthop Traumatol Surg Res (Hybrid)	2013	France	Ankle, instability	Literature review and consensus
10.1016/j.otsr.2014.10.003 [18]	Orthop Traumatol Surg Res (Hybrid)	2014	France	Knee, instability	Retrospective, multicenter
10.1007/s00590-014-1546-5 [15]	Eur J Orthop Surg Traumatol (Hybrid)	2015	France	Shoulder, instability	Retrospective single-center
10.1007/s00590-014-1562-5 [17]	Eur J Orthop Surg Traumatol (Hybrid)	2015	France	Shoulder, instability	Retrospective single-center
10.11138/jts/2015.3.3.109 [6]	Joints (Open access)	2016	Italy	Shoulder, rotator cuff	Prospective, randomized, single-center
10.1177/1758573216681208 [7]	Shoulder & Elbow (Open access)	2017	Canada	Shoulder, instability	Retrospective single-center
10.1186/s40634-019-0198-0 [8]	J Exp Orthop (Open access)	2019	France	Knee, instability	Retrospective single-center

DOI: Digital Object Identifier.

References

- [1] Saab M, Dartus J, Erivan R, Reina N, Ollivier M, Devos P. Publication output of French orthopedic and trauma surgeons: Quantitative and qualitative bibliometric analysis of their scientific production in orthopedics and other medical fields. *Orthop Traumatol Surg Res* 2019;105:1439–46.
- [2] Dartus J, Saab M, Erivan R, Reina N, Ollivier M, Devos P. Bibliometric evaluation of orthopaedics and traumatology publications from France: 20-year trends (1998–2017) and international positioning. *Orthop Traumatol Surg Res* 2019;105:1425–37.
- [3] Erivan R, Dartus J, Reina N, Ollivier M, Villatte G, Saab M, et al. Full-text publication rate of studies reported as 2013 SoFCOT meeting abstracts. *Orthop Traumatol Surg Res* 2019;105:1447–52.
- [4] Grant J, Buxton MJ. Economic returns to medical research funding. *BMJ Open* 2018;8:e022131. doi.org/10.1136/bmjopen-2018-022131.
- [5] Ploug T. Should all medical research be published? The moral responsibility of medical journal editors. *J Med Ethics* 2018;44:690–4.
- [6] Randelli P, Arrigoni P, Aliprandi A, Sdao S, Ragone V, D'Ambrosi R, et al. Repair versus shaving of partial-thickness articular-sided tears of the upper subscapularis tendon. A prospective randomized controlled trial. *Joints* 2015;3:109–15.
- [7] Rouleau DM, Garant-Saine L, Canet F, Sandman E, Ménard J, Clément J. Measurement of combined glenoid and Hill–Sachs lesions in anterior shoulder instability. *Shoulder Elbow* 2017;9:160–8.
- [8] Wein F, Osemont B, Goetzmann T, Jacquot A, Valluy J, Saffarini M, et al. Anteversion and length of the femoral tunnel in ACL reconstruction: in-vivo comparison between rigid and flexible instrumentation. *J Exp Orthop* 2019;6:26. doi.org/10.1186/s40634-019-0198-0.

- [9] Gusenbauer M. Google Scholar to overshadow them all? Comparing the sizes of 12 academic search engines and bibliographic databases. *Scientometrics* 2019;118:177–214.
- [10] Komagamine J, Yabuki T. Full-text publication rate of abstracts presented at the Japan Primary Care Association Annual Meetings (2010-2012): a retrospective observational study. *BMJ Open* 2018;8:e021585. doi.org/10.1136/bmjopen-2018-021585.
- [11] Scherer RW, Langenberg P, von Elm E. Full publication of results initially presented in abstracts. *Cochrane Database Syst Rev* 2007:MR000005.
<https://doi.org/10.1002/14651858.MR000005.pub3>.
- [12] Al-Hourani K, Al-Aref R, Ley-Greaves R, Ballout F, Mesfin A. Five-year publication rate of podium presentations at SICOT Annual Conference: an observational study and new objective proposal of conference power. *SICOT-J* 2017;3:36.
doi.org/10.1051/sicotj/2017019.
- [13] Kleine-Konig M-T, Schulte TL, Gosheger G, Rödl R, Schiedel FM. Publication rate of abstracts presented at European Paediatric Orthopaedic Society Annual Meetings, 2006 to 2008. *J Pediatr Orthop* 2014;34:e33-38.
- [14] Schulte TL, Trost M, Osada N, Huck K, Lange T, Gosheger G, et al. Publication rate of abstracts presented at the Annual Congress of the German Society of Orthopaedics and Trauma Surgery. *Arch Orthop Trauma Surg* 2012;132:271–80.
- [15] Boughebri O, Maqdes A, Moraiti C, Dib C, Leclère FM, Valenti P. Results of 45 arthroscopic Bankart procedures: Does the ISIS remain a reliable prognostic assessment after 5 years? *Eur J Orthop Surg Traumatol* 2015;25:709–16.
- [16] Guillo S, Bauer T, Lee JW, Takao M, Kong SW, Stone JW, et al. Consensus in chronic ankle instability: Aetiology, assessment, surgical indications and place for arthroscopy. *Orthop Traumatol Surg Res* 2013;99:S411–9.

- [17] Maqdes A, Chammai Y, Lengert R, Klouche S, Clavert P, Hardy P, et al. The intra- and inter-observer reliability of the CT-scan based X index to quantify glenoid bone loss in chronic anterior shoulder instability and its impact on decision making. *Eur J Orthop Surg Traumatol* 2015;25:699–703.
- [18] Wajsfisz A, Bajard X, Plaweski S, Djian P, Demey G, Limozin R, et al. Surgical management of combined anterior or posterior cruciate ligament and posterolateral corner tears: For what functional results? *Orthop Traumatol Surg Res* 2014;100:S379–83.
- [19] Brophy J, Bawden D. Is Google enough? Comparison of an internet search engine with academic library resources. *Aslib Proc* 2005;57:498–512.
- [20] Eastman CM, Jansen BJ. Coverage, relevance, and ranking: The impact of query operators on Web search engine results. *ACM Trans Inf Syst* 2003;21:383–411.
- [21] Grigas V, Juzeniene S, Velickaite J. “Just Google It”- The Scope of Freely Available Information Sources for Doctoral Thesis Writing. *Inf Res Int Electron J* 2017;22. <http://informationr.net/ir/22-1/paper738.html> (accessed August 5, 2020).
- [22] Van Noorden R. Online collaboration: Scientists and the social network. *Nat News* 2014;512:126.
- [23] Kesselman M, Barbara Watstein S. Google ScholarTM and libraries: point/counterpoint. *Ref Serv Rev* 2005;33:380–7.
- [24] Number of Titles Currently Indexed for Index Medicus® and MEDLINE® on Pubmed® n.d. https://www.nlm.nih.gov/bsd/num_titles.html (accessed August 5, 2020).
- [25] MEDLINE®: Description of the Database n.d. <https://www.nlm.nih.gov/bsd/medline.html> (accessed August 5, 2020).
- [26] Burright M. Google Scholar -- Science & Technology 2006.
- [27] Jacsó P. Metadata mega mess in Google Scholar. *Online Inf Rev* 2010;34:175–91.





